

G.N.P.

11848



G. N. P.

GEORGE N. POTTER,
General Brassfounder,

154, SCHOLEFIELD STREET,

❧ BIRMINGHAM. ❧

❧ ESTABLISHED 1846. ❧

G. N. P.

THE NEW YORK PUBLIC LIBRARY

ASTOR LENOX TILDEN FOUNDATION

100 SOUTH STREET

NEW YORK

ALL PREVIOUS LISTS AND PRICES CANCELLED.

October 1st, 1894.

DISCOUNTS.

PAGE.		DISCOUNT.
	GENERAL BRASSFOUNDRY	
	EXCEPT	
56	Brass Head Nails, 704 ...	70 %
	" " " 701 ...	57½ %
	" " " 708 ...	50 %
	" " " 710 ...	45 %
	Shutter Knobs	57½ %
	Drawer " 	57½ %
	Cupboard Turns	57½ %
	" " Perfect ...	45 %

ALL PREVIOUS EDITIONS AND PRINTS

CANCELLED

RECEIVED

GENERAL SECRETARY

1881

1882

1883

1884

1885

1886

1887

1888

1889

1890

INDEX.

A.

	PAGE.
ACORN Sash Stops ...	14
Angle Eyes ...	57
Arms, Bonnet ...	26
„ Shop Window ...	22

B.

BACKFLAP Hinges ...	18
Ball Rod Holders ...	65
Barrel Bolts... ..	19, 20
Beak Eyes ...	57
Bell Furniture ...	30
„ Cranks ...	33
„ Carriages ...	32
„ Chains ...	36
„ Levers... ..	34
„ Pulls ...	35
„ Pendulums ...	33
„ Slides ...	36
„ Springs ...	34
„ Triggers ...	31
Bells, House ...	36
Binnacle Rings ...	64
Blind Bolts ...	46
„ Brackets ...	46
„ Cord Holders ...	56
„ Furniture ...	45
„ Hooks ...	48
Bolts, Barrel ...	19, 20
„ Blind ..	46
„ Cupboard ...	20, 61
„ Settee ...	65
„ Ships' ...	20
„ Socket ...	19, 20

PAGE.

Book Case Studs ...	61
Bonnet Arms ...	26
Boot Brackets ...	29
„ Stands... ..	29
Brackets, Blind ...	46
„ Bonnet ...	26
„ Boot ...	29
„ Baker's ..	22
„ Confectioners' ...	28
„ Centre ...	39
„ Driving ...	40
„ Hat ...	26
„ Lath ...	40
„ Mantel Rod ...	26
„ Pole ...	37, 38
„ Picture Rod ...	41
„ Rail ...	27
„ Rise and Fall ...	22
„ Shelf ...	23, 24
„ Shoe ...	29
„ Shop Window ...	22
„ Storm Rail ...	65
„ Swan Neck ...	17, 46
„ Suspending ...	28
Brass Head Nails ...	56
Butt Hinges ...	18
Buttons ...	66
„ and Plates... ..	65

C.

CABIN Hooks ...	62
Cabinet Makers' Fittings ...	58
„ Handles ...	58
Carriages, Bell ...	32
Castors ...	55

INDEX—continued.

	PAGE.
Castor Rings	55
Casement Fasteners ..	7, 8
,, Stays	9
Catches, Fanlight	16
,, Show Case	60
Centres, Sash	14, 15
,, Pole Bracket	39, 40
Ceiling Hooks	69
,, Roses	68
Chains, Bell	36
Chest Handles	59
Cleat Hooks	48
Coat and Hat Hooks	49-51
Confectioners' Brackets	28
Cornice Pole Brackets	37
,, ,, Rings	56
Cord Holders	56
Covered Escutcheons	21
Cranks, Driving	33
,, External	31
,, Leader	30
,, Mortise	31
,, Pillar	30
,, Purchase	33
,, Trigger	31
,, Turnover	30
,, Wheel and Chain	31
Cupboard Bolts	20, 61
,, Turns	71
Cup Hooks	67

D.

Door Bolts	19
,, Handles	10
,, Furniture, Ships'	63
Drawer Handles	59
,, Pulls	60

	PAGE.
Driving Pole Brackets	40
,, Cranks	33
,, Purchase Cranks	33
Drop Handles	59
,, Rings	15

E.

END Holders	26
Ends, Picture Rod	42
,, Roller	45
Escutcheons, Covered	21
,, Night Latch	21
External Cranks	31
Eyes, Angle	57
,, Lashing	66
,, Sash	13
,, Screw	66
,, Stair Rod	57
,, Stone...	57

F.

FANLIGHT Catches	16
„ Stays	17
Fasteners, Casement	7, 8
„ Sash	1-6
„ Show Case	60
Fittings, Bell	30
„ Cabinet Makers'	58
„ Ship	62
„ Shop Windows			22-29
„ Upholsterers'	37
„ Picture Rod	41
„ Shoe	29
Fixing Sockets	24
Flush Handles	58
„ Lifts	13
„ Rings	15
French Pulleys	21

INDEX—continued.

	PAGE.
Furniture, Ring and Knob ...	63
,, Double Ring ...	63
,, Blind ...	45

G.

GAS Shade Holders ...	70
Glass Movements ...	61
,, Plates ...	61

H.

HALF Buttons ...	66
Hall Door Bolts ...	19
Handles, Chest ...	59
,, Door ..	10
,, Drawer ...	58
,, Flush ...	58
,, Lifting ...	59
,, Sash ...	10
Hanging Rods ...	28
Hand Rail Brackets ...	65
Hat Brackets ...	26
Hat and Coat Hooks ...	49-51
Hat Pins ...	52
Hinges, Backflap ...	18
,, Butt ...	18
Hinge Lifts... ..	12
Hit and Miss Ventilators ...	67
Hooks, Cabin ...	62
,, Cleat ...	48
,, Ceiling ...	69
,, Cup... ..	67
,, Hat and Coat, Cast	49, 50
,, ,, ,, Tube ...	51
,, Lamp ...	69
,, Moulding ...	44
,, Picture Rod ...	43, 44
,, Picture ...	44
,, Pulley ...	73

	PAGE.
Hooks, S ...	44
,, Sash ...	14
,, Screw ...	68
,, Tassel ...	47
,, Ward, Cast ...	53, 54
,, ,, Tube ...	52
,, Whistle ...	68
,, Venetian ...	48
Holdings, Ball ...	65
,, Blind Cord ..	56
,, Bottom ..	25
,, End ...	26
,, Gas Shade ...	70
,, Muslin Rod ...	72
,, Ring ..	26
,, Side ..	26
,, Top ...	25
,, Umbrella ...	73
,, Young's ...	72
House Bells ...	36

J.

JEWELLERS' Case Catches ...	60
Jug Hooks ...	67

K.

KNOBS, Sash ...	15
,, Shutter ...	70

L.

LAMP Hooks ...	69
,, Hook Roses ...	68
Lath Brackets ...	40
Lashing Eyes ...	66
Leader Cranks ...	30
Levers, Bell ...	34
Lifting Handles ...	59

INDEX—continued.

				PAGE.
Lifts, Flush	13
„ Hinge	12
„ Sash	11, 12	
„ Upright	12
„ Ring	12
Lock Furniture, Ships'	63
„ Plates	73
Looking Glass Movements			..	61

M.

MANTLE Rod Brackets	26
Mortise Cranks	31
,, Chain and Wheel		...	31
,, Lock Plates	73
Moulding Hooks	44
Movements, Glass...	61
Muslin Rod Holders	72

N.

NAILS, Brass Head	56
Naval Brassfoundry	62
Night Latch Escutcheons	..		21

O.

Oven Door Ventilators 67

P.

PENDULUMS, Bell	33
Picture Rod Brackets		41
„ „ Ends	42
„ „ Hooks	43
„ Hooks	44
Pillar Cranks	30
Pins, Hat	52
Pivots, Sash	15

				PAGE.
Plates, Glass	61
,, Lock	73
,, Sash	13
Pole Brackets	37, 38
,, Rings	56
Pulley Rod Hooks		73
Pulleys, French	21
,, Rack	45
,, Screw	21
,, Side	21
,, Upright	21
Pulls, Bell	35
,, Drawer	60
,, Quadrant Bell		36
,, Sunk Bell	35
Purchase Cranks	33

Q.

QUADRANT Bell Pulls 35

R.

Rack Pulleys	45
Racks, Shop Window	22
Rail Brackets	27
Rails, Suspending...	27
Rings, Binnacle	64
„ Castor	55
„ Cornice Pole	56
„ Drop	15
„ Flush		15
„ and Nuts	64
„ Screw	64
„ Shutter	15
Ring Sash Lifts	12
„ and Knob Furniture			...	63
„ Holders	26
Rise and Fall Brackets	22

INDEX—continued.

	PAGE.		PAGE.
Rod Arms	22	S Hooks	44
„ Brackets, Mantel	26	Shoe Brackets	29
„ „ Picture	41	„ Centre Brackets ..	40
„ Ends	42	„ Stands	29
„ Holders	25, 26	Shop Window Fittings	22-29
„ Hooks	43	Show Case Catches	60
Rods, Hanging	28	Shutter Knobs ..	70
Roller Ends	45	„ Rings	15
Rollers, Sash ..	16	„ Screws	16
Roses, Lamp Hook ..	68	Side Pulleys	21
		„ Holders	26
		Skylight Fasteners	16
		Slides, Bell	36
		Sliding Sockets	24
		Sockets, Fixing	24
		„ Sliding	24
		Socket Castors	55
		Springs, Bell	34
		Stair Eyes	57
		Stands, Shoe ..	29
		Stays, Casement	9
		„ Fanlight	17
		Stops, Sash ..	14
		Stone Eyes	57
		Storm Rail Brackets ..	65
		Stubbs and Plates... ..	14, 15
		Studs, Book Case	61
		Sunk Bell Pulls ..	35
		Suspending Brackets	28
		„ Rails ..	27
		Swan Neck Brackets ..	17, 46
		T.	
		TABLE Screws	65
		Tassel Hooks ..	47
		Top Holders	25
		„ Sash Screws	16
		Tower Bolts	20
		Turns, Cupboard	70

S.

SASH Centres	14
„ Eyes	13
„ Fasteners ..	1-6
„ Handles	10
„ Hooks	14
„ Knobs... ..	15
„ Lifts	11, 12
„ Pivots ..	15
„ Plates	13
„ Rollers	16
„ Screws	16
„ Stops	14
Screw Castors	55
„ Eyes... ..	66
„ Hooks	68
„ Pulleys	21
„ Rings ..	64
Screws, Sash	16
„ Table ..	65
Settee Bolts.. ..	65
Shade, Gas Holder	70
Shelf Brackets	23, 24
Ship Fittings	62
Ships' Rail Brackets ..	65
„ Bolts ..	19, 20
„ Butts ..	18
„ Furniture	63

INDEX—continued.

	PAGE.
Turnover Cranks	30
Trigger ,, 	31

U.

UMBRELLA Holders... ..	73
Upright Pulleys	21
,, Lifts 	12
Upholsterers' Fittings ..	37

V.

VENETIAN Blind Bolts	46
,, ,, Hooks	48

	PAGE.
Ventilators, Hit and Miss ..	67
,, Oven Door	67
,, Ships' 	67

W.

WARDROBE Hooks, Cast	53, 54
,, ,, Tube	52
Wheel and Chain Cranks... ..	31
Whistle Hooks 	68
Window Fittings, Shop	22-29
Window Brackets	22

Y.


YOUNG's Cord Holders	73
-----------------------------	----

BUILDERS' BRASSFOUNDRY.

SASH FASTENERS.

"HOPKINSON'S" ARMS.


(CANNOT BE OPENED FROM OUTSIDE.)



1890


Per doz.

			2 $\frac{3}{4}$	3 in.
No. 1889.	Burnished	...	8/-	—
„ 1890.	Stronger	...	9/-	—



1891

			2 $\frac{3}{4}$	3 in.
No. 1891.	For Narrow Sashes,			
	Polished...	...	9/6	—
„ 1662.	Stronger	...	11/-	12/-
„ 1626.	Strong, Polished	...	12/-	13/-




1927

			2 $\frac{3}{4}$ in.
No. 1927.	For Narrow Sashes, Burnished		8/-


SASH FASTENERS—CONTINUED.

1801




				Per doz.		
No. 1801.	With Steel Guards	2 $\frac{3}{4}$ 15/-	3 17/-
„ 1723.	„ „ „	Plain Ball Knob	15/-	16/-
„ 1628.	„ „ „	very Strong	-	20/-
						3 $\frac{1}{2}$ in. — 25/-

1881



			Per doz.	
No. 1881.	Very Strong.		2 $\frac{3}{4}$	3 in.
			13/-	15/-
„ 3924.	Very Strong.		2 $\frac{3}{4}$	3 in.
			14/6	16/-


SASH FASTENER,
WITH DROP LATCH.

Per doz.

			2 $\frac{3}{4}$	3 in.
No. 1694.	Dipped	...	9/-	10/-
„ 1340.	Polished	...	10/6	11/6


1694

SASH FASTENERS—CONTINUED.




2126

		$2\frac{3}{4}$	3 in.
No. 2126.	Strong, Burnished	11/6	12/6
„ 1746.	Is same Fastener without Latch	11/-	12/-



1175

No. 1175.	Very Strong,	$2\frac{3}{4}$	3 in.
	Polished	17/-	20/-




157E

No. 157E.	Narrow, Burnished Fastener	$2\frac{3}{4}$ in.	8/-
-----------	----------------------------	--------------------	-----


SASH FASTENERS—CONTINUED.

No.					2½	2¾	3 in.
No. 53.	Dipped, Reeded Knob	7/6	—	—
„ 1843.	„ Plain „	7/6	—	—
„ 1859.	„ Reeded „	7/9	—	—



1702

No.						2¾	3 in.
No. 1702.	Dipped	8/-	9/-
„ 1774.	Strong, but Narrow Box	10/-	11/6
„ 1894.	„ Reeded Knob, Polished	11/-	13/-




1880

No.						2¾	3	3½ in.
No. 1880.	Strong, Polished...	12/-	13/6	16/-
„ 1382.	Lighter, Sanded	10/-	12/-	—


STAMPED BRASS SASH FASTENERS.

Per doz.




1656

No. 1656.	Dipped	...	2 $\frac{3}{4}$	3 in.
„ 355.	„	...	6/-	—
„ 201.	Lighter	...	5/6	—
			5/-	—



1701

No. 1701.	Strong	...	2 $\frac{3}{4}$	3 in.
„ 1699.	Lighter	...	10/-	—
„ 1657.	„	...	9/-	—
			8/-	—




1700

No. 1700.	Wedge Arm	...	3 in.
			11/-

CAST OPEN BOX SASH FASTENERS.

Per doz.




205

No.					2½	2¾	3 in.
No.	32.	Light	4/-	5/-	—
„	205.	Stronger	5/6	6/6	7/3
„	1625.	„	Hopkinson's Arms		8/-	9/-	10/-
„	540.	Half Box,	„	„	—	6/-	—

CAST IRON FASTENERS.

Per doz.




192

No.								2¾ in.
No.	192.	3/4
„	198.	Strong	5/-
„	101.	Brass Arm	4/-
„	102.	Strong ditto...	6/6
„	103.	Box Fastener, Brass Arm...	7/-


CASEMENT FASTENERS.

Per doz.




352

No. 352.	Light, Dipped	6/6
„ 353.	Stronger, Dipped	8/-
„ 1527.	Strong, Polished	12/-
„ 362.	„ „	12/-



354

No. 354.	Strong, Polished	13/-
„ 70.	Very Strong, Polished	14/6



RIGHT HAND.

539

No. 539.	Cockspur, Mortise Plate	7/6
„ 359.	Stronger, „ „	10/-
„ 1425.	„ Square Handle, Mortise Plate	16/-


CASEMENT FASTENERS—CONTINUED.

Per doz.




RIGHT HAND.

No. 1800.	Reeded, Polished, Mortise Plate ...	11/-
„ 971.	Reeded, Polished, Mortise Plate ...	12/-
„ „	Reeded, with Circle	13/6
„ 666.	Stronger, „ „	16/-
	„ Mortise Plates	14/-




RIGHT HAND.

No. 584.	With Circle ...	16/6
„ „	„ Mortise Plates	14/6



LEFT HAND.


No. 973.	With Circle ...	15/-
„ „	„ Mortise Plates	13/6



No. 1381.	Very Strong, with Circles	22/-
„ „	With Mortise Plates ...	20/-


CASEMENT STAYS.

Per doz.




388

			8	9	10	12	14	16	18 in.
No. 388.	16/6	17/6	19/-	24/-	28/-	32/-	36/-
„ 390.	Stronger	—		20/-	23/-	26/-	29/-	35/-	42/-



1529

		9	10	12	14	16	18 in.
No. 1529.		21/-	24/-	28/-	32/-	34/-	36/-



1696

			10	12	14	16	18 in.
No. 1696.	Strong, Polished...		27/-	30/-	36/-	38/-	40/-

SASH HANDLES.

Per doz.



1539

			2½	3	3¼	3½ in. inside Bow.
No. 1539	2/9	3/9	4/3	5/-
„ 1303.	Stronger		3/6	4/3	5/4	6/-



1302

			2½	3	3¼	3½ in. inside Bow.
No. 1302	3/9	4/6	5/6	6/6



314

			2½	3	3¼	3½ in. inside Bow.
No. 314.	Strong		4/3	5/-	6/-	8/-
„ 1684.	Lighter		—	4/6	5/6	6/8



No. 1574.	Light	5 in. over all	5/-
„ 1575.	Stronger	...	5½	„	„	...	6/6
„ 1576.	„	...	6	„	„	...	9/-
„ 1578.	Very Strong	...	7	„	„	...	12/6



No. 1133	7½ in. over all	12/-
----------	-----	-----	-----	-----------------	-----	-----	------


SASH LIFTS.

Per doz.




246

No. 246.	Stamped, Reeded	$1\frac{1}{2}$	$1\frac{3}{4}$	2 in.
				1/6	1/11	2/1




249

No. 249.	Plain, Stamped	$1\frac{1}{2}$	$1\frac{3}{4}$	2 in.
				1/6	1/10	2/2




247

No. 247.	Concave, Stamped	$1\frac{1}{2}$	$1\frac{3}{4}$	2 in.
				1/8	1/11	2/3



502



86

No. 501.	Cast Lift	$1\frac{1}{2}$	$1\frac{3}{4}$	2 in.	No. 85.	Strong	...	2	$2\frac{1}{4}$	$2\frac{1}{2}$ in.
„ 502.	Stronger	2/9	—	—	„ 86.	Very Strong,	4/-	—	—	—
„ 503.	„	—	3/-	—		Burnished	—	5/-	—	—
		—	—	4/-	„ 87.	Ditto, ditto	—	—	5/9	—

No. 446. Strong, Cast Polished, 2 in., 5/- ; $2\frac{1}{2}$ in., 6/6 ; $2\frac{3}{4}$ in., 7/6

HINGE SASH LIFTS.


Per doz.



No. 285.	Fancy	8/6
„ 284.	Plain Drop	8/-
„ 283.	„ with Catch	7/9
„ 287.	„ no Catch	6/-

RING LIFTS.


Per doz.



No. 792.	Light	3/9
„ 197.	Stronger	4/-
„ 199.	„	5/-
„ 5119.	Very Strong, Polished	7/-

UPRIGHT LIFTS.


Per doz.



No. 276.	$\frac{3}{4}$ in. inside Ring	3/6
„ 277.	$\frac{7}{8}$ „	4/-
„ 278.	1 „	4/9

SUNK FLUSH LIFTS.

Per doz



No. 301. POLISHED.

$2\frac{1}{2} \times 1\frac{1}{2}$ inch	5/-
3 \times $1\frac{1}{2}$ „	6/-
$3\frac{1}{2} \times 1\frac{3}{4}$ „	7/-
$3\frac{3}{4} \times 1\frac{3}{4}$ „	7/6
4 \times $1\frac{7}{8}$ „	9/-
4 \times 2 „	10/-
$4\frac{1}{2} \times 2\frac{1}{2}$ „	14/-

SASH PLATES.

Per doz




No. 290.	Dipped	$1\frac{3}{4} \times \frac{1}{2}$ in., 1/8
„ 505.	Polished	2 \times $\frac{5}{8}$ „ 2/6



No. 291.	Sanded	2 \times 1 in., 3/3
„ 292.	„	2 \times $1\frac{1}{4}$ „ 4/-
„ 404.	Strong	$2\frac{1}{2} \times 1\frac{1}{2}$ „ 5/-
„ 293.	Polished	2 \times 1 „ 4/6

SASH EYES.

Per doz.



No. 294.	Dipped	$1\frac{1}{2} \times \frac{5}{8}$ in. hole, 4/-
„ 295.	„	$1\frac{3}{4} \times \frac{7}{8}$ „ „ 5/3
„ 296.	Strong	$1\frac{3}{4} \times 1\frac{1}{2}$ „ „ 6/3

SASH HOOKS.


Per doz.



No. 1682.	Strong, Polished	16/-
„ 343.	Lighter	10/-
„ 341.	„	7/-
„ 340.	Single Hook	5/6

SASH STOPS.

Per doz.




No. 386.	With Strong Iron Screws	3/6
„ „	With Chains	4/6
„ 386B.	All Brass	4 6

SASH CENTRES.

Four Pieces to a Set.

Per doz. Sets.



No. 330.	Sanded	Plates 2 × $\frac{3}{4}$ in.,	8 -
„ 331.	„	„ 2 $\frac{1}{4}$ × $\frac{7}{8}$ „	9/-
„ 332.	„	„ 2 × 1 „	10/6
„ 333.	„	„ 2 $\frac{1}{4}$ × 1 „	11 6
„ 334.	„	„ 2 $\frac{1}{2}$ × 1 „	14/-
„ 336.	„	„ 3 × 1 $\frac{1}{8}$ „	17 -
„ 1928.	Extra Strong	Plates 2 × $\frac{3}{4}$ × $\frac{3}{16}$ „	15/-
„ „	„	„ 2 $\frac{1}{4}$ × 1 × $\frac{3}{16}$ „	17 -
„ „	„	„ 2 $\frac{1}{2}$ × 1 $\frac{1}{8}$ × $\frac{3}{16}$ „	19

SASH PIVOTS.

Four Pieces to a Set.



Per doz. Sets.

No. 325.	Plates, $1\frac{1}{2} \times \frac{3}{8}$ in.,	5/-
„ 326.	„ $1\frac{7}{8} \times \frac{5}{8}$ „	6/6
„ 327.	„ $2 \times \frac{5}{8}$ „	8/6
„ 328.	„ $2 \times \frac{3}{4}$ „	10/6
„ 329.	„ $2\frac{1}{4} \times \frac{7}{8}$ „	11/6
„ 1929.	Extra Strong	Plates, $2 \times \frac{3}{4} \times \frac{3}{16}$ „	15/-
„ „	„ „	„ $2\frac{1}{4} \times 1 \times \frac{3}{16}$ „	17/-
„ „	„ „	„ $2\frac{1}{2} \times 1\frac{1}{8} \times \frac{3}{16}$ „	19/-


SHUTTER OR DROP RINGS.

Per doz.

No. 370.	Light	$2\frac{1}{2}$ in.,	2/6
„ 371.	„	$2\frac{3}{4}$ „	3/-
„ 372.	Strong	$2\frac{1}{2}$ „	3/9
„ 373.	„	3 „	5/-
„ 374.	„	$3\frac{1}{4}$ „	5/6
„ 375.	Very Strong	4 „	6/6

FLUSH RINGS.

Per doz.



			1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	$2\frac{1}{4}$ in.
No. 378.	Polished	...	3/6	4/-	5/6	6/6	7/6	9/-

SASH KNOBS.

Per doz.




			$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$ in.
No. 530.	Screw or Drive	...	3/-	5/-	6/-	9/6	14/-	18/6	25/-	35/



SASH AND SHUTTER SCREWS.

Per doz.

					$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$ in.
$1\frac{1}{2}$ in.	1/6	2/-	4/-
2 "	1/11	2/6	4/6
$2\frac{1}{4}$ "	2/3	2/9	4/9
$2\frac{1}{2}$ "	2/6	3/-	5/-
3 "	2/9	3/6	6/-
$3\frac{1}{2}$ "	3/6	4/6	7/-
4 "	—	5/6	8/-




TOP SASH SCREWS.

Per doz.

No. 497.						$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$ in.
Polished Thumb-bit, 2 in.	3/3	4/3	6/9
" " " " " $2\frac{1}{2}$ "	3/10	4/8	7/3
" " " " " 3 "	4/2	5/2	8/8

SASH ROLLERS.

938




Per doz.

No. 938	...	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{1}{2}$ in.
		2/-	2/6	3/3	4/-	5/-	6/-	7/6	9/-

FANLIGHT CATCHES.

Per doz.



1725




31

No. 1725	$2\frac{1}{4} \times 1$ in.,	12/-	No. 31	$2\frac{1}{4} \times 1\frac{1}{2}$ in.,	15/-
" 1726	$2\frac{1}{4} \times 1\frac{1}{2}$ "	14/-	" 27	$1\frac{7}{8} \times 1\frac{1}{2}$ "	20/-
					" 26	3×2 "	25/-

FANLIGHT STAYS.


Per doz.



No. 1207.	Strong, Sanded	24/-
						10	12 in.
„ 1208.	Shadbolt Stay, Steel	9/-	10/-

SWAN NECK BRACKETS.


Per doz.



No. 170.	Round, 4½ in.	5/6
„ „	Burnished, 5½ in.	6/6
„ 1588.	Strong Flat, but Round Hole, 5 in.	5/6
„ „	„ „ 6 „	7/-
„ 1469.	Straight, 3 in. Projection	5/-
„ „	„ 4 „	5/6

CAST BRASS BUTTS.

Per doz. pairs.



1409

No. 1200, Narrow Medium.

1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	1 $\frac{3}{4}$	2	2 $\frac{1}{4}$	2 $\frac{1}{2}$	2 $\frac{3}{4}$	3	3 $\frac{1}{4}$	3 $\frac{1}{2}$	3 $\frac{3}{4}$	4 in.
2 2	2 8	3 6	3 10	4 2	5 2	6/-	8/-	9 9	12/-	13 6	16 -	21/-

No. 1600, Middle.

2 $\frac{1}{4}$	3 -	3 8	4 -	4 10	6/-	7/-	9/-	10 6	13 6	15 6	21/-	24 -
2 4	3 -	3 8	4 -	4 10	6/-	7/-	9/-	10 6	13 6	15 6	21/-	24 -

No. 1419, Broad.

3/-	3 6	3 10	4 6	6/-	7/-	8/-	11/-	13 6	15/-	19 6	25/-	30/-
3/-	3 6	3 10	4 6	6/-	7/-	8/-	11/-	13 6	15/-	19 6	25/-	30/-

No. 1421, Strong and Broad.


3 9	4 2	5 -	6 -	7 6	9/-	10 6	12 6	16/-	19/-	22/-	30/-	35 -
3 9	4 2	5 -	6 -	7 6	9/-	10 6	12 6	16/-	19/-	22/-	30/-	35 -

STRONG BUTTS.

	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	1 $\frac{3}{4}$	2	2 $\frac{1}{4}$	2 $\frac{1}{2}$	3	3 $\frac{1}{2}$	4	4 $\frac{1}{2}$	5 in.
No. 1592 ..	2 8	3/-	3 8	4 6	6/-	7/-	8/-	12 9	16 9	22/-		
„ 1591 ...	2 10	3 6	4 -	4 8	6 2	8/-	8 10	14 4	18 3	26/-	37/-	48/-
„ 1590 ...	3/-	3 10	4 8	5 6	6 9	9/-	10 9	16 9	22/-	33/-	47/-	60

BACK FLAPS.

Per doz. pairs.



1602


	$\frac{3}{4}$	$\frac{7}{8}$	1	1 $\frac{1}{8}$	1 $\frac{1}{4}$	1 $\frac{3}{8}$	1 $\frac{1}{2}$	1 $\frac{5}{8}$	1 $\frac{7}{8}$	2 in.
No. 1606 ..	3 4	3 9	4/-	4 6	5 6	6 3	7/-	10 6	12 6	14 3
„ 1602 ...	4/-	5 9	6 6	7 6	8 6	11/-	11 6	14 6	15 6	23/-

All Iron Pins. Brass Pins extra.

No Back, Iron Shoots.




			2	2½	3	3½	4	5	6 in.
No. 1755.	1 in. Wide	6/-	6/6	7/3	8/3	9/-	10 -	11/-
" "	1 " "	Necked, { with Brass Shoots }	8/-	8/6	9/3	10/3	11/-	12/-	13/-
" 1572.	1½ in. Wide, Straight...		7/6	8/-	9/-	10/-	11/-	12/-	13/-
" "	1½ " "	Necked, { with Brass Shoots }	9/6	10/-	11/-	12/-	13/-	15/-	17/-



		3	3½	4	5	6	7	8	9	10	12 in.
No. 1249.	1⅜ in. Wide, } Straight	8/-	9/-	10/-	12/-	14/-	17/-	20/-	22/-	26/-	28/-
„ „	1⅜ in. Wide, } Necked, Brass Shoots	10/-	11/-	12/-	14/6	17/-	20/-	23/-	25/-	29/-	32/-
No. 1250.	1⅝ in. Wide, } Iron Back	11/-	12/6	13/-	15/-	17/-	20/-	24/-	26/-	30/-	34/-
„ „	1⅝ in. Wide, } Iron Back, Necked	13/-	14/-	15/-	18/-	20/-	24/-	28/-	32/-	34/-	36/-
				2	2½	3	3½	4	5	6 in.	
No. 1756.	1 in. Wide, Straight, } with Iron Back	8/-	8/6	9/3	10/3	11/-	12/-	13/6			
„ 1573.	1¼ in. Wide, with } Iron Back	10/6	11/-	12/-	13/-	14/-	15/6	16/6			

ALL BRASS BOLTS.



No. 1052. $1\frac{3}{8}$ in. Wide, All Brass, with Ends—

2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	5	6	7	8	10	12 in.
14/-	15/-	16/-	17/-	19/-	22/-	25/6	28/-	33/-	38/-	43/-

„ „ With Plates, 2/- doz. less.

„ „ $1\frac{3}{8}$ in. Wide, All Brass, Necked—


15/6	16/6	17/6	18/6	20/6	23/-	28/-	32/-	36/-	40/-	46/-
------	------	------	------	------	------	------	------	------	------	------

With Round Knobs, same prices.


BARREL BOLTS—CONTINUED.

Per doz.

		2	2½	3	3½	4	5	6 in.
No. 1050.	1¼ in. Wide, } Straight	10/-	11/-	12/-	13/-	15/-	19/-	23/-
„ „	1¼ in. Wide, } Necked	11/-	12/-	13/-	14/-	15/6	21/-	25/-
„ 040.	1 in. Wide ...	6/-	6/6	7/6	9/-	10/-	11/-	12/-
„ „	1 „ „ Necked }	7/-	7/6	8/6	10/-	11/3	12/6	13/6




		2½	3	3½	4	5	6 in.
No. 1056.	Tower Bolts, Strong ...	12/-	13/	14/-	16/-	20.-	32/-
„ „	„ „ „ Necked...	15/-	16/-	17/-	19/-	23/-	36/-



		3	4	5	6 in.
No. 316.	All Brass ...	13/6	14/6	16/6	20/6

CUPBOARD BOLTS.

Per doz.



		3	3½	4 in.
No. 100.	Necked or Straight ...	7/-	7/6	8/6

COVERED PLATE ESCUTCHEONS.

Per doz.

No. 1458.	Push-over, Polished or Bronzed	1½	1¾	2 in.
		5/-	6/-	7/-
,, 336.	Hinged, Polished or Bronzed ...	2½	2¾	3 in.
		9/6	11/-	13/-



No. 111.	Night Latch, Sanded ...	2½ in.
		1/2



SCREW PULLEYS.

Per doz.



			Single.	Double.		Single.	Double.
	½ in.	...	3/3	4/-	1¼ in.	6/6	11/-
	⅝	...	3/6	5/-	1⅝	7/6	12/-
	¾	...	4/-	6/-	1½	9/-	15/-
	⅞	...	4/6	7/6	1¾	12/-	18/-
	1	...	5/-	9/-	2	16/-	24/-
491	1½	...	6/-	10/-			

SIDE PULLEYS.


Per doz.

		½	⅝	¾	⅞	1	1¼	1½ in.
No. 175.	Polished	—	4/-	5/6	6/6	9/-	10/6	12/-
,, 862.	Single	3/6	4/-	5/-	5/9	7/6	10/-	12/-
,,	Double	6/-	7/-	9/-	11/6	15/-	18/-	22/-



UPRIGHT PULLEYS.


Per doz.



65

		⅝	¾	⅞	1	1⅝	1¼	1½	1¾ in.
No. 65.	Single	5/-	6/-	7/6	8/6	11/-	12/-	18/-	20/-
,,	Double	7/6	8/-	9/-	12/-	16/-	18/-	24/-	28/-

		¾	1	1¼	1½ in.
No. 66.	Very Strong, Single	7/-	9/-	13/-	18/6
,,	Double	10/-	13/6	21/-	26/-



FRENCH PULLEYS.

Per doz. pairs.

		½	⅝	¾	⅞	1 in.
No. 794	...	13/6	15/-	21/-	28/-	34/-

SHOP WINDOW FITTINGS.

BRACKETS.

Per doz.




To Rise and Fall.

		6	8	10	12	15	18	21 in.
No. 1011. Light	...	10/-	11/-	13/-	15/-	18/-	—	—
„ 1012. Medium	...	12/-	14/-	16/-	18/-	24/-	34/-	46/-
„ 1013. Very Strong, for $\frac{5}{8}$ or $\frac{3}{4}$ Rods		—	16/-	18/-	21/-	28/-	40/-	50/-

FIXED BRACKETS.

Per doz.



		1	2	3	4	5	6	7	8 in.
No. 1014. Light	...	4/9	5/3	6/-	8/-	9/6	10/-	11/-	12/-
					6	8	10	12	15 in.
„ 1015. Strong, with $\frac{5}{16}$ or $\frac{3}{8}$ in. Pin	...				10/9	11/-	13/-	14/-	17/-
								6	9 in.
„ 1016. „ for Bakers' Shops, Carry $\frac{3}{4}$ in. Rods	...							17/-	24/-

ROD ARMS.


Per doz.



		6	8	10	12	14	16	18 in.
No. 1020. $\frac{1}{4}$ in. thick...	..	3/6	3/9	4/-	4/3	4/6	4/9	5/3
„ „ $\frac{5}{16}$ „ „	...	—	4/6	5/-	5/6	6/-	6/9	7/3
„ „ $\frac{3}{8}$ „ „	...	—	5/6	6/6	7/-	7/6	8/-	9/-


SHELF BRACKETS.

Per doz.



1023

	3	4	5	6	7	8	9	10	12	14	15	18 in.
No. 1023 ...	5/-	6/-	8/-	9/-	10/6	12/-	14/-	16/-	20/-	23/-	25/-	30/-




1025

Dipped, to Screw on Sash.

	3	4	5	6	7	8	9	10	12	14	15	18 in.
No. 1025 ...	8/6	9/6	11/-	12/6	15/-	17/-	20/-	24/-	30/-	36/-	38/-	42/-


No. 1025B Bronzed and to Screw on Tap Bar, 6d. doz. extra.



1028

	3	4	5	6 in.
No. 1028...	4/6	6	7/-	8/-

BRONZED SIDE BRACKETS.




Each.

		6	8	10	12	14	16	18 in.
No. 1026.	Very Strong ...	3/3	4/9	5/6	7/-	8/-	9/-	10/-
„ 1027.	Lighter ...	—	—	2/9	3/-	3/6	4/-	5/-

Both these Brackets made to fit on Side or Face same price.

SHELF BRACKETS.


TO CARRY GLASS SHELVES.



1019

Per doz.


	3	4	5	6 in.
No. 1019.	5/-	7/-	8/-	10/-
„ 1024.	12/-	15/-	19/-	22/-



1024

SLIDING SOCKETS.

Per doz.



1102

		Single.	Double.	Treble.	Four-hole.
No. 1002.	Octagon, 1/2 in. ...	5/4	6/-	7/6	—
for 1/4 in. Rods only.	5/8 „ ...	6/-	6/6	8/-	10/-
	3/4 „ ...	6/6	7/-	10/-	11/-
	7/8 „ ...	8/-	9/6	12/6	15/-
	1 „ ...	9/-	10/-	13/-	17/-
No. 1000.	Stronger, 5/8 „ ...	6/6	7/6	—	—
for 5/16 and 3/8 in. Arms.	3/4 „ ...	8/-	9/-	—	—
	7/8 „ ...	9/-	10/-	13/6	17/6
	1 „ ...	11/-	12/-	15/6	19/-
	1 1/8 „ ...	14/6	16/-	21/-	—
	1 1/4 „ ...	16/-	18/-	24/-	—
	1 1/2 „ ...	20/-	24/-	30/-	—

FIXING SOCKETS, FOR SASH BARS.

Per gross.



1005


		Single.	Double.
No. 1005.	1/4 in. ...	15/-	24/-
„ 286.	17/-	28/-
„ 1006.	1/4 in., Stronger	18/-	30/-
„ 1009.	5/16 „ „	28/-	40/-
„ 1010.	3/8 „ „	32/-	45/-



1005


ROD HOLDERS.

Per doz.




1029

		$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$ in.
No. 1030.	Top...	3/-	4/-	4/6	5/-	6/6	10/-	12/6
„ 1029	...	5/-	5/6	6/-	6/9	7/6	—	—



1032

		$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$ in.
No. 1032	...	5/-	7/-	7/6	8/-	10/-	12/-	15/-




1042

		$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$ in.
No. 1042	...	6/-	6/9	7/6	9/-	12/-	15/-	20/-




1034

		$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$ in.
No. 1033.	Bottom	5/6	6/-	6/6	8/-	9/-	—	—
„ 1034	as 1029							
„ 1034	...	5/6	6/-	7/-	8/-	9/-	12/-	15/-



1043

		$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$ in.
No. 1043	...	6/-	6/6	7/-	8/-	9/6	12/-	15/-




1041

		$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$ in.
No. 1041	...	7/-	8/6	10/6	11/6	13/-	16/-	—
„ 1035.	To Unscrew off Plate	—	—	9/-	10/-	12/-	13/6	15/-

ROD HOLDERS—CONTINUED.

Per doz.



1038

		$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$ in.
No. 1038.	Ring,	3 6	4/-	4 6	5/-	6/-	7/-	8/-



1037

			$\frac{1}{2}$	$\frac{3}{4}$	$\frac{5}{8}$	$\frac{7}{8}$	1 in.
No. 1037.	Side	...	3/6	4/-	6/-	7/-	8/-



1126

		$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$ in.
No. 1126.	Rod Bracket,	7/-	8/-	9/-	11/6	14/-	15/-	18/-


BONNET ARMS.

Per doz.



No. 1026.	$\frac{1}{4}$ in.	Curved Arms, with Tops	6/6
"	"	"	"	without Tops...	4/6
"	1022.	"	Angle Brackets for Hats, with Tops	6/6
"	"	"	"	"	without Tops	...	4/6

RAIL BRACKETS.



No. 30. Bracket, 9×1 in. ... 10/- pair.

Ends, $1/4$ pair. Rings, 5/- doz.


Tube, 1 in., 10d. foot.

No. 29. Bracket, $6 \times \frac{3}{4}$ in. ... 4/6 pair.

Ends, 8d. pair. Rings, 3/- doz.

Tube, $\frac{3}{4}$ in., 7d. foot.

DOUBLE SLIDING SUSPENDING BRACKET.



No. 26. Down Rail, 7 ft. \times 1 in., to carry $\frac{3}{4}$ in. Cross Rails ... 15/- each.

$\frac{3}{4}$ in. Cross Rods, 7d. foot. Ends 14/- doz.

HANGING ROD.



28

Hooks and Roses	8d. each.
Ends	4d. ,,
Rings	2½d. ,,
Very Strong Chain	1/- yard.
Tube, ¾ in....	...	7d. foot.

SUSPENDING
BRACKET.

For ¾ in. Rod.



27

4 ft. long...	...	4/- each.
---------------	-----	-----------


CONFECTIONERS' BRACKETS.

Per doz.

Wire Dish Bracket Light ...	8/6	No. 1021.	Wire Dish, Curved ...	12/-
-----------------------------	-----	-----------	-----------------------	------



No. 1893.	5/16 in. Tube, 3½ in. Plate, with Fixing Sockets	14/-
„ 1894.	5/16 „ „ 4 in. „ „ „ „	17/-



No. 1895.	3/8 in. Tube, 5 in. Plate, with Fixing Sockets...	23/-
„ 1659.	3/8 „ „ 5 in. Dish „ „ „ „	26/-

SHOE FITTINGS.

SHOE STANDS.

China Bases. Double Action Top.

Per doz.

Plain Tube, 6 in. ...	35/-	Fancy Tube ...	36/-
„ 10 in. ...	37/-	„ ...	38/-
„ 14 in. ...	40/-	„ ...	41/-


1728



BOOT BRACKETS.


Per doz.

No. 1048.	12 × ½ in.,	Straight Rod, with Stamped Heel and Toe Plate...	12/-
„ 1049.	12 × ½ in.,	„ „ Cast „ „ ...	18/-
„ 1040.	12 in.	Square Tube, to rise and fall ...	21/-




Plain Tube	16/-
Fancy „	17/-

1727



Fancy Tube	20/-
------------	-----	----	------

1728




BELL FITTINGS.

ALL CRANKS ARE FITTED WITH COPPER PINS.

LEADER CRANKS.

Per doz.




331

			Single.	Double.	Treble.	Four-fly.
No. 331.	Light Suite, Sanded...	...	4/9	6/9	9/-	11/6
„ 390.	„ „ Burnished	...	5/6	7/6	10/-	12/-
„ 391.	Medium „ „	...	6/9	10/-	13/9	16/9
„ 392.	Strong „ „	...	9/3	12/6	16/6	20/-
„ 393.	Very Strong, Sanded	...	13/-	18/6	—	—
„ 394.	Spring Leader, Burnished	...	12/-	17/6	—	—
„ 395.	Round Iron Plate, Burnished	Flies }	3/-	4/9	—	—

Turnover Cranks, or Half Mortise, same Price and Suites as Leader Cranks.

PILLAR CRANKS.

Per doz.




332

			Single.	Double.	Treble.	Four-fly.
No. 332.	Light Suite, Sanded...	...	6/6	9/-	13/-	16/-
„ 396.	„ „ Burnished	...	7/6	10/-	12/-	14/-
„ 397.	Medium „ „	...	9/6	13/3	16/3	19/-
„ 398.	Strong „ „	...	12/6	15 6	18/6	21/6
„ 399.	Very Strong, Sanded	...	18/-	23/-	—	—

MORTISE CRANKS.

Per doz.



400

					Single.	Double.	Treble.
No. 400.	Light Suite, Polished,	$4\frac{1}{2} \times 1$	in.	...	8/-	10/6	13/6
„ 401.	Medium „ „	$5\frac{1}{2} \times 1\frac{1}{4}$	„	...	10/6	13/6	16/6
„ 402.	Strong „ „	$5\frac{1}{2} \times 1\frac{1}{2}$	„	...	12/3	15/3	18/6
„ 403.	„ „ Sanded	$6 \times 1\frac{1}{2}$	„	...	14/9	18/-	23/-
„ 404.	Very Strong, „	7×2	„	...	20/-	—	—

EXTERNAL AND INTERNAL MORTISE CRANKS.

Per doz.

						Single.	Double.	Treble.
No. 405.	Light Suite, Polished	12/6	14/6	16/-
„ 406.	Medium „ „	14/6	17/6	20/-
„ 407.	Strong „ „	18/-	20/-	25/-
„ 408.	„ „ „	18/-	22/-	27/-

CHAIN AND WHEEL CRANKS.

Per doz.

							Single.
No. 409.	Flat Mortise	7/-
„ 410.	Stronger Mortise	8/6
„ 411.	Leader	8/6
„ 412.	Pillar	10/6
„ 413.	External or Internal	11/-
„ 414.	To Drive, End or Side	7/-

TRIGGER CRANKS.


Per doz.

								Treble.
No. 416.	Burnished...	12/-

BELL CARRIAGES.


Plate or Drive.

Per doz.




455

No. 455.	Light, Sanded	6/-
„ 456.	Stronger, Burnished	7/6



458



463


No. 457.	With Bit for Pendulum	9/-
„ 458.	Stronger, with Bit for Pendulum	10/-
„ 459.	„ „ „	11/-
„ 460.	„ „ „	12/-
„ 461.	„ „ „	13/6
„ 463.	Very Strong „ „	15/-
„ 465.	Outside, to Drive, with Bit for Pendulum	20/-
„ 466.	Strong, Outside, „ „	25/-
„ 470.	„ Brass Plate and Stand	20/-

Any can be had with China Rose, 2,6 per doz. extra.

Brass Plates and Stands, 4/- per doz. extra.

PURCHASE CRANKS.

Per doz.



499

No. 499.	Rose Purchase, Rough	7/6
„ 500.	„ „ Burnished	8/6
„ 501.	„ Stronger	10/-
„ 502.	„ „	11/6
„ 503.	„ „	12/6
„ 504.	„ „	17/-
„ 506.	Without Roses, Sanded	10/6
„ 507.	„ „ „	13/6

PURCHASE STOP DRIVING CRANKS.

Per doz.

No. 508.	End or Side	4/6
„ 509.	Stronger	5/9
„ 510.	Very Strong	6/6

DRIVING CRANKS.

Per gross.



480



485

No.				Single.	Double.	Treble.
No. 479.	Rough Dipped	17/-	34/-	50/-
„ 480.	Light, Sanded	20/-	40/-	60/-
„ 481.	„ „	22/-	44/-	66/-
„ 482.	Stronger, „	25/-	50/-	75/-
„ 483.	Light, Burnished	26/-	52/-	78/-
„ 484.	Stronger, „	29/-	58/-	87/-
„ 485.	Strong, „	34/-	72/-	102/-
„ 486.	„ „	56/-	112/-	168/-
„ 487.	„ Sanded	34/-	68/-	102/-
„ 488.	„ „	36/-	73/-	110/-
„ 490.	„ „	56/-	112/-	168/-

Crank Flies, 479 to 484, 6/- per gross less.

„ „ 484 „ 491, 9/- „ „

BELL PENDULUMS.

Per doz.

No. 450.	Eye, Brass Rose	6 in.,	5/-
„ 371.	Spring, Stamped Rose	6 „	6/6
„ 452.	„ Cast Brass „	6½ „	7/-
„ 453.	„ China „	6½ „	9/6

BELL SPRINGS.

Per gross.

No. 539.	Iron, 4 in., Single, Curved	23/-
„ 540.	„ 4½ „ „ „	28/-
„ 541.	Steel, 4½ „ „ „	35/-
„ 542.	„ 5 „ „ „	42/-
„ 543.	Iron Check, 5 in. Springs Hard Drawn	11/6
„ „	„ „ 6 „ „ „	12/6
„ 544.	Steel „ 5 „ „ „	16/6

BELL LEVERS.

Per pair.



536



1640



1642



528

				Plain.	Double Gold Lines.
No. 1652.	Short Arm	2/8	3 2
„ 518.	„	2/10	3/4
„ 310.	Fancy	2/6	3/-
„ 536.	„	2/10	3/4
„ 1640.	„	2/10	3/4
„ 1641.	„	3/2	3/8
„ 1642.	„	4/-	4/6
„ 63.	„	4/6	5/-
„ 528.	„	4/6	5/-
„ 175L.	Very Large	5/6	6/-

SUNK BELL PULLS.

Per doz.




439


No.	439.	Plain, "Servants," "Visitors," "House," or "Office"	4	4½	5	5½ in.
		34/-	38/-	44/-	50/-
		Ditto, with Wheels and Chains	46/-	50/-	56/-	62/-

BELL PULLS.


Per doz.



418



1329




1639

No.	418.	Oval Pull, Polished, Brass Knob	1¾	2	2¼	2½	2¾	3 in.
		5/6	6/-	6/6	7/	8/3	9/
		Dipped, China Knob	6/-	6/6	7/-	7/6	9/-	9/6
		Plain Polished	2½ × 1½ in.	10/-	
		Steel Bronzed	" "	10/	
		Gothic	3 × 1½	" "	11/
		Fancy	" "	12/	
		"	3 × 1¾	" "	14/
		"	4 × 2	" "	20/
		Round Gothic	4½	" "	34/
		Oblong, Polished	4 × 1¾	" "	22/


QUADRANT PULLS. WITH SPRINGS.

Per doz.



430

No. 430.	Plain Polished...	4 × 1 in.,	15/3
„ 431.	Fancy Wrought } Bronzed and Relieved }	4 × 1¼ „	17/-
„ 432.	Ditto ditto...	4 × 1½ „	19/-
„ 433.	Ditto ditto...	4½ × 1½ „	23/-
„ 434.	Ditto ditto...	5 × 1¾ „	28/-
„ 435.	Ditto ditto ..	5½ × 1¾ „	33/-
„ 436.	Ditto ditto...	5½ × 1½ „	24/-
„ 112.	Square, Polished	6½ × 2¼ „	56/-



433


BELL SLIDES.

Per doz.



326

No. 230.	Plain Dipped	4 in.,	6/-
„ 441.	Fancy	„	...	4 „	7/9
„ 442.	„	„	...	4 „	8/-
„ 444.	Reeded	„	...	4½ „	8/6
„ 445.	Strong, Plain Polished...			5½ „	11/6
„ 326.	„	5½ „	15/-
„ 1363.	„	6 „	21/-



444

BELL CHAINS.

Per doz.

Brass, 8 Links	1/8
Copper, „	2/-
Brass, Yard Lengths	20/-


HOUSE BELLS.

Per lb., according to quality.

UPHOLSTERERS' FITTINGS.

POLE BRACKETS.


Per doz. pairs.



300

No. 300. Light—

$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$	3 in.
—	—	—	—	—	—	6/8	8/6	11/-	—



301

No. 301. Stronger—


$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$	3 in.
5/-	5/6	5/9	6/-	6/8	7/4	8/4	10/-	12/-	16/-

No. 309CR. Light, with Cast Rose—

$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$	3 in.
5/6	5 8	6/-	6/4	7/-	8/-	9/-	11/6	14/-	20/-

POLE BRACKETS—CONTINUED.


Per doz. pairs.



No. 1712 -

1712


$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$	3 in.
7/6	8/-	8/3	8/6	9/-	10/-	11/6	13/-	17/6	21/-



No. 220—

220

$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$	3 in.
7/-	7/6	8/6	9/6	10/6	13/6	17/-	20/-	22/-	28/-



No. 1734. Cast EE Rose—

1734

$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$	3 in.
10/-	11/6	12/6	13/6	14/6	16/6	20/-	24/-	28/-	36/-

No. 259. Very Strong, EE Rose—

$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$	3 in.
12/-	14/-	15/-	16/-	22/-	28/-	37/-	44/-	53/-	64/-

No. 701. EE Rose, 3 in. Projection—

$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$	3 in.
26/-	27/-	28/-	30/-	34/-	42/-	46/-	51/-	66/-

CENTRE POLE BRACKETS.

Single doz.



301

		1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	2	2 $\frac{1}{4}$	2 $\frac{1}{2}$	3 in.
No. 301.	Stamped Rose, to Match Bracket }	5/-	5/6	6/-	8/-	9/-	9/6	11/-
„ 309.	Cast Rose, to Match Bracket }	5/6	6/-	7/-	9/6	10/-	11/-	12/-



1712

		1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	2	2 $\frac{1}{4}$	2 $\frac{1}{2}$	3 in
No. 1712	6/-	6/6	8/-	10/-	11/-	12/-	15/-
„ 220.	Plain Rose, as 220 Bracket }	6/-	6/6	8/-	10/-	11/-	12/-	15/-
„ 1734.	EE Rose, as 220 Bracket }	8/-	10/-	12/-	14/-	15/-	16/-	20/-
„ 259.	Very Strong ...	13/-	14/-	16/-	20/-	24/-	26/-	30/-
„ 701.	EE 3 in. Projection }	15/-	16/-	18/-	24/-	26/-	29/-	33/-

LATH BRACKETS.

Per doz. pairs.




850

		1	1¼	1½	2	2¼	2½	3 in.
No. 850.	Cast Plain Rose, or to match other suites of Brackets	8/-	9/-	10/-	12/6	14/-	16/-	20/-
„ 854.	EE Roses, Strong ...	12/-	15/-	18/-	22/-	24/-	28/-	34/-
„ 855.	3 in. Projection, EE Rose ...	17/-	19/-	22/-	27/-	30/-	36/-	46/-

DRIVING BRACKETS.

Per doz. pairs.



856

		1	1¼	1½	2	2¼	2½	3 in.
No. 856.	Any Pattern Rose...	16/-	18/-	20/-	24/-	28/-	32/-	36/-
„ 857.	3 in. Projection, EE Roses ...	24/-	26/-	29/-	34/-	40/-	48/-	54/-

SHOE CENTRE BRACKETS.


Per single doz.

		1	1¼	1½	2	2¼	2½	3 in.
No. 858.	Plain Roses	16/-	18/-	20/-	24/-	28/-	32/-	36/-
„ 859.	Clip Shoe Centre, Very Strong, any Pattern Rose ...	22/-	25/-	30/-	40/-	46/-	50/-	60/-

PICTURE ROD FITTINGS.

ROD BRACKETS.

Per doz.




	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	1 $\frac{1}{4}$ in.
No. 744. Plate or Drive,	4/-	4/6	5/-	6/-	7/6



No. 1578. Strong and	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	1 $\frac{1}{4}$ in.
Cast Rose ...	6/-	6/6	7/-	7/6	8/6

No. 1910. Fluted, Polished ..	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	1 $\frac{1}{4}$ in.
... ..	9/-	9/6	10/-	10/6	12/-



	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	1 $\frac{1}{4}$ in.
No. 747. Drive only,	5/-	5/9	6/6	7/6	9/6



No. 845. Wood	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	1 $\frac{1}{4}$ in.
Screw ...	6/-	7/6	8/6	10/-	12/-

ROD ENDS.

Per doz.



	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$ in.
No. 831. Octagon, Dipped	4/6	5/3	5/9	6/3	8/-	10/-	12/-



	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$ in.
No. 836. Acorn, Polished,	4/6	5/3	5/9	6/9	7/6	9/6	12/



	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$ in.
No. 501. Polished, Wood Screw,	4/-	4/6	5/6	6/9	8/3	9/6	10/6



	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$ in.
No. 483. Burnished, Wood Screw ...	4/-	4/6	5/6	6/6	7/6	8/-



	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1 in.		
No. 334. Round End, Burnished, Wood Screw	3/-	4/-	5/9	7/6

ROD ENDS—CONTINUED.

Per doz.



599

		$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$ in.
No. 599.	Reeded, Wood Screw	4/-	4/6	6/-	7/-	8/6	9/6	10/6



1911

		$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$ in.
No. 1911.	Reeded, Plugs	4/6	5/3	6/6	8/-	11/-	13/-

		$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$ in.
No. 1909.	Fluted, Polished ...	9/6	12/-	13/6	16/-	24/-	32/-

Ends with Wood Screws, 1/- per doz. less than Plugs.

Ends with Plugs instead of Wood Screw, 1/- per doz. extra.


SLIDING ROD HOOKS.

Per doz.



818

		$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$ in.
No. 818.	S Hook, Burnished	2/3	2/9	3/-	3/9	—	—
„ 819.	„ Stronger	2/6	3/-	3/9	4/3	5/6	6/6



820

		$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$ in.
No. 820.	S Hook, Strong ...	2/6	3/-	3/6	4/-	5/-	6/-
„ 821.	„ Very Strong	3/6	4/-	4/6	5/-	6/-	7/-

SLIDING ROD HOOKS—CONTINUED.



824

				Per doz.					
				$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$ in.
No. 824.	Round Hook	2/3	2/6	3/-	3/6	4/6	5/6
„ 825.	„ „ Medium	2/6	3/-	3/6	4/-	5/-	6/-
„ 826.	„ „ Strong	2/10	3/6	4/2	4/10	5/6	6/4



612

				$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$ in.
No. 539.	Light	1/10	2/4	2/8	3/-	3/6	4/6
„ 612.	Medium	2/-	2/4	3/-	3/6	4/6	5/6
„ 80L.	Stronger	2/2	2/8	3/-	3/9	4/6	5/6
„ 827.	Strongest	2/6	3/3	3/9	5/-	5/9	6/-
„ 1908.	Fluted, Polished	4/-	4/6	5/-	5/6	6/6	7/3

MOULDING HOOKS.




1304

				Per doz.	
				$\frac{5}{8}$	$\frac{3}{4}$ in.
No. 1304.	Stamped Moulding Hook	1/6	1/8
„ 1305.	„ „ Square Hook	1/8	1/10
„ 1306.	„ „ Fancy Hook	1/8	2/-
„ 268.	„ „ Cast Hook	3/6	—
„ 1531.	„ „ Plain	„	„	2/-	—

CAST S HOOKS.

				Per doz.					
				1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$ in.
48.	Cast S Hooks	1/9	2/-	2/3	2/9	3/3	4/6
50.	Angle S Hooks	2/3	2/6	2/9	3/6	4/3	5/3

PLATE HOOKS FOR PICTURES.




				Per doz.	
				$1\frac{1}{2}$	2 in.
No. 841.	Dipped	2/-	—
„ 842.	„	—	2/3
„ 683.	Strong, Polished	—	3/-
				$2\frac{1}{4}$	3 in.
No. 843.	Dipped...	2/-	—
„ 844.	Strong	—	2/6
„ 543.	„ Polished	—	3/3

RACK PULLEYS.

Brass Tops.

Per doz.



876

672

No. 876.	Light Cast, Burnished	4½ in.,	3/6
" "	" "	5 "	4/-
" 614.	Medium Cast,	"	5 "	5/-
" 855.	Cast, Dipped	5 "	5/4
" 613.	Medium Cast, Polished	5 "	6/-
" 390.	Strong "	"	5 "	7/6
" "	" "	"	6 "	8/6
" 881.	Very Strong Cast	"	5 "	8/6
" 672.	Medium Cast, EE Roses	5 "	7/-

ROLLER ENDS.

Per doz.




104

No.	Description	1¾	2	2¼ in.
No. 104.	Cast, Sanded, no Brackets	3/-	4/6	6/-
" "	" " with "	3/9	5/6	7/6
" 125.	Strong, dipped, no "	5/6	7/6	10/6
" "	" " with "	6/6	8/6	12/-

If Burnished all over, 1/- per doz. extra.

SINGLE CORD BLIND FURNITURE.

Per doz.



226


No. 226.

Stamped, Sanded,	1½ in. Cup,	2 in. Flange,	8/-
" "	1¼ " "	2½ " "	10/6


No. 1884.	Cast, Sanded,	1½ in. Cup,	2 in. Flange	10/-
" "	" "	1¼ " "	2 " "	11/-
" "	" "	1¾ " "	2¼ " "	12/6
" "	" "	1½ " "	2½ " "	15/-
" "	" "	1¾ " "	2¾ " "	18/-
" "	" "	2 " "	3 " "	21/6

BLIND BRACKETS.

Doz. pairs.



518



650

No. 905.	Light	2/6
„ 906.	„ Stronger	3/3
„ 907.	„	„	4/3
„ 518.	„	„	4/6
„ 908.	„	„	5/-
„ 909.	„	„	6/-
„ 650.	„	„	5/-


SWAN NECK BRACKETS.

For Blind Furniture.

Single doz.

No. 611.	Round or Square Hole, $1\frac{1}{4}$ in. Projection	4/6
„ 612.	„ „ $1\frac{5}{8}$ „ „	5/6

BLIND BOLTS.



Per doz.

			2	$2\frac{1}{4}$	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4 in.
No. 521.	Burnished	1/10	—	—	—	—	—
„ 910.	Dipped	2/-	2/6	3/-	3/6	—	—
„ 911.	Burnished	2/6	3/-	3/6	4/-	4/6	5/-
			Necked, 6d. extra.					
„ 1388.	Strong, Burnished...	—	—	4/-	5/-	6/-	8/-	—
			Necked, 1/- extra.					
„ 20.	Strong, Straight or Necked	—	—	—	—	—	9/-	—

TASSEL HOOKS.

Per doz.



610



614



620

No. 610.	Solid Cast, Burnished,	1 $\frac{5}{8}$ in.	1/3
„ 611.	„ „	1 $\frac{3}{4}$ „	1/6
„ 612.	„ „	2 „	2/-
„ 613.	„ „	2 $\frac{1}{4}$ „	2/6
„ 614.	Very Strong	3/-
„ 620.	Oval Plate, Burnished,	2 in.	2/2
„ 621.	„ „	2 $\frac{1}{2}$ „	2/9
„ 622.	„ „	2 $\frac{3}{4}$ „	3/-
„ 623.	„ „	3 „	3/6
„ 624.	„ „	3 $\frac{1}{2}$ „	4/9

These Hooks are made straight, same price.

FANCY TASSEL HOOKS.

Per doz.



583



604



606



629



1591

No. 583.	2 $\frac{1}{2}$ in.	2/6
„ 601.	2 $\frac{1}{2}$ „	3/-
„ 604	4/-
„ 605.	3 in.	3/6
„ 606.	3 „	3/-
„ 629	3/-
„ 1591	3/-


CLEAT HOOKS.

Per doz.



631

No. 631.	3½ in., Solid Cast	2/6
„ 634.	4 „ „	3/9
„ 633.	4½ „ „	6/-



1759

No. 1759.	Polished	6/6
-----------	----------	-----	----	-----	----	-----	-----	-----	-----



640

No. 640.	2½ in....	2/6
„ 641.	3 „	3/-
„ 642.	3½ „	4/-




643

No. 643.	3½ × ¾ in.	5/6
„ 644.	4 × ¾ „	6/-
„ 645.	5 × 7/8 „	9/-
„ 646.	6 × 7/8 „	11/-

CAST HAT AND COAT HOOKS.

Per doz.

No. 959.	4½ in.	5/-
„ 660.	5 „	6/-
„ 1258.	6 „	6/6
„ 662.	6½ „	7/-
„ 170.	6½ „	7/6
„ 1644.	Strong, 6 in.	8 -
„ 663.	„ 6½ „	10/-
„ 670.	Light, 7 in.	11/-
„ 671.	Strong, 7 in.	13/-
„ 715.	Very Strong, 8 in.	19/




662

No. 1190.	5 in.	6/6
„ 1531.	5½ „	8/6
„ 1488.	6½ „	9/-
„ 1591.	6½ „	9/6
„ 5102.	7 „	12/-




1190

No. 1081.	5½ in.	10/-
„ 1082.	6½ „	14/-
„ 1083.	7 „	17/-
„ 1742.	7½ „	20/-



1081

CAST HAT AND COAT HOOKS—CONTINUED.




1717

Per doz.

No. 1717	Strong	14/-
„ 1770	Lighter	8/-

CAST POLISHED HAT AND COAT HOOKS.

Per doz.




1593

No. 1593	21/-
----------	-----	-----	-----	------



1824

No. 1824	9/6
----------	-----	-----	-----	-----




1316

No. 1316	15/-
„ 1317.	Larger	18/6
„ 1375.	Strong	22/-
„ 1352.	Treble	24/-


TUBE HAT AND COAT HOOKS.

Per doz.

Filled with Iron and Hard Soldered, with China Balls.



1310



802

No. 1596.	Chain pattern,	$6\frac{1}{2} \times \frac{1}{4}$ in.	6/-
„ 1691.	Star	„ $6\frac{1}{2} \times \frac{1}{4}$ „	6/-
„ 800.	Plain Tube,	$6\frac{1}{2} \times \frac{5}{16}$ „	7/6
„ 801.	„ „	$7 \times \frac{3}{8}$ „	9/-
„ 1535.	Twisted Tube,	$7 \times \frac{5}{16}$ „	7/6
„ 1536.	Fancy	„ $7 \times \frac{5}{16}$ „	7/6
„ 802.	„ „	$7 \times \frac{5}{16}$ „	8/-
„ 746.	„ „	$7\frac{1}{2} \times \frac{3}{8}$ „	11/6
„ 805.	„ „	$7\frac{1}{2} \times \frac{3}{8}$ „	12/-
„ 1310.	„ „	$8 \times \frac{3}{8}$ „	13/-
„ 795.	„ „	$8\frac{1}{2} \times \frac{7}{16}$ „	15/-

TUBE HAT PINS.

Per doz.



800

No. 800.	Plain, to match Hat and Coat Hooks	5/6
„ 802.	Fancy „ „ „	5/6
„ 1535.	„ „ „ „	5/6
„ 1536.	„ „ „ „	5/6
„ 746.	„ „ „ „	6/-
„ 805.	„ „ „ „	6/-
„ 1310.	„ „ „ „	6/-
„ 795.	„ „ „ „	7/6
„ 1838.	Plain Tube, $\frac{7}{16}$ in.... Brass Knobs	6/6
„ 1864.	„ $\frac{3}{8}$ „	„	6/-
„ 535S.	„ Star Back, 4 in. \times $\frac{7}{16}$ in.	...	„	6/-
„ 535L.	„ 5 „ \times $\frac{7}{16}$ „	...	„	6/6

WARDROBE HOOKS.

Per doz.



800


No. 800.	Plain, to match Hat and Coat Hooks...	5/-
„ 802.	Fancy „ „ „	5/-
„ 1535.	„ „ „ „	5/-
„ 1536.	„ „ „ „	5/-
„ 746.	„ „ „ „	5/6
„ 805.	„ „ „ „	5/6
„ 1310.	„ „ „ „	5/6
„ 795.	„ „ „ „	6/-

CAST WARDROBE HOOKS.


Per gross.



No. 30.	Light Suite	1½ in.,	15/6
„ 31.	„	1½ „	20/-
„ 32.	„	1½ „	24/-
„ 33.	„	2 „	30/-
„ 34.	„	2¼ „	33/-
„ 35.	„	2½ „	40/-
„ 36.	Same shape, but Stronger	1½ „	19/-
„ 37.	„ „	1½ „	22/-
„ 38.	„ „	2 „	32/-
„ 39.	„ „	2¼ „	43/-
„ 40.	„ „	2½ „	50/-




No. 41.	Pointed Plates	1½ in.,	24/-
„ 42.	„ „	2 „	28/-
„ 43.	„ „	2¼ „	33/6
„ 44.	„ „	2½ „	41/-



No. 45.	Diamond Plates	1½ in.,	20/-
„ 46.	„ „	1½ „	24/-
„ 47.	„ „	2 „	29/-
„ 48.	„ „	2¼ „	35/-
„ 49.	„ „	2½ „	43/-

CAST WARDROBE HOOKS—CONTINUED.

Per doz.



1913

No. 1913.	Strong, Polished	1 $\frac{3}{4}$ in., 3/4
„ 1914.	„ „	2 „ 4/6
„ 1915.	„ „	2 $\frac{1}{2}$ „ 5/-
„ 1916.	Same pattern, Lighter	1 „ 2/4
„ 1917.	„ „ „	2 „ 3/-
„ 1918.	„ „ „	2 $\frac{1}{2}$ „ 3/6



705

No. 705.	Very Strong	2½ in., 3/8
„ 5.	„	2½ „ 5/-
„ 1919.	„	2½ „ 6/-
„ 1920.	„	3 „ 7/-

DOUBLE WARDROBE HOOKS.

Per doz.




No.	723	6
,,	724	7/-
,,	725	9/-

SCREW AND SOCKET CASTORS.

Per doz. sets.



284



414

					1	1 $\frac{1}{8}$	1 $\frac{1}{4}$	1 $\frac{3}{8}$	1 $\frac{1}{2}$ in.
No. 274.	Iron Screw Castor, China Bowl,				10/6	11/6	12/3	14/-	15/-
„ 284.	Brass „ „ „ „				15/6	17/8	20/-	23/6	27/-
„ 294.	„ „ „ Brass „				26/6	30/-	35/6	42/6	49/-
„ 514.	„ Socket „ China „				19/-	21/-	24/8	29/6	33/-
„ 414.	„ „ „ „ „				23/-	26/-	29/6	34/-	46/-
„ 394.	„ „ „ „ „				20/-	22/6	24/8	29/6	35/-
„ 608.	„ „ „ „ „				28/3	31/9	35/3	39/-	50/-
„ 884.	„ „ „ „ „				28/6	32/-	36/6	45/-	51/-

CASTOR RINGS.

Per doz. sets.



922

					1	1 $\frac{1}{8}$	1 $\frac{1}{4}$	1 $\frac{3}{8}$	1 $\frac{1}{2}$ in.
No. 920.	Plain Rims		7/8	8/6	10/-	11/6	13/6
„ 922.	Beaded „		10/-	11/2	13/6	14/6	16/9

BRASS HEAD NAILS. STAMPED HEAD.

Per gross.



704

	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4 in.
	1/8	1/8	1/10	2/2	2/5	2/9	3/4	4/-	5/6	6/6	8/-
No. 704	Special Discount			%
„ 701	„	„		%
„ 708.	Burnished	„	„		%
„ 710.	Cast Head, Wrought Spikes...	„	„		%

BLIND CORD HOLDERS.

Per gross.

No. 115	24/-
„ 116	18/-

CORNICE POLE RINGS.

Per gross.



	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$	$2\frac{3}{4}$	3 in.
No. 90	6/6	7/-	8/-	9/-	10/-	11/-	12/6	15/-	16/6	19/-	23/6
„ 40	8/-	9/-	10/-	11/-	12/-	14/9	16/6	20/-	22/-	24/-	28/-
„ 50	—	—	—	10/6	13/6	14/6	22/-	24/-	27/-	29/6	33/-

SOLID CAST CORNICE POLE RINGS.

Per doz.

	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2 in.
No. 527	1/-	1/2	1/4	1/9	3/-

STAIR EYES.

Per gross.

BEAK.



78



81



88


No. 78	4/-	No. 86	14/-
239	4/6	85	16/-
79	5/-	87	25/6
80	6/-	88. Round End	4/6
83	6/6	89	6/6
81	8/6	90	9/-
82	10/-	4004. $\frac{9}{16}$ in. hole	28/-
84	12/-	4005. $\frac{11}{16}$ " "	30/-

ANGLE EYES.

Per gross.



1341



1492



590

No.		$\frac{5}{16}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$ in.
No. 1341	...	9/-	10/-	15/-	19/6	—
64	...	—	12/-	16/-	20/-	—
1630	...	—	15/-	20/-	28/-	36/-
490	...	—	16/-	22/-	30/-	—
1492	...	—	19/-	26/-	36/-	—
1837	...	—	20/-	26/-	34/-	46/-
590. Deep projection	—	—	20/-	28/-	36/-	54/-
1507. " "	—	—	20/-	30/-	45/-	60/-
1439. " "	—	—	—	50/-	60/-	72/-
1818. Oval Hole	—	—	—	—	—	26/-
1811. Half Round	—	—	—	—	—	26/-

STONE EYES.


Per gross.

No. 4001	...	$\frac{1}{2}$ in.,	21/-	No. 4003	...	$\frac{11}{16}$ in.,	38/-
4002	...	$\frac{9}{16}$ "	28/-	4023	...	$\frac{3}{4}$ "	48/-

CABINET MAKERS' FITTINGS.


SUNK FLUSH HANDLES.

Per doz.




550

	$1\frac{3}{4}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$	$2\frac{3}{4}$	3	$3\frac{1}{4}$	$3\frac{1}{2}$	$3\frac{3}{4}$	4	$4\frac{1}{2}$ in.
No. 550. Cast Light Suite	3/6	3/9	4/3	4/6	5/-	5/6	6/-	7/-	7/6	9/-	—
„ 551. Stronger	3/9	4/-	4/6	5/-	5/6	6/6	7/-	8/-	8/6	9/6	11/-
„ 552P. „ Polished	—	—	—	7/-	7/6	8/-	9/-	10/-	12/-	14/-	16/-



555P

	3	$3\frac{1}{4}$	$3\frac{1}{2}$	$3\frac{3}{4}$	4	$4\frac{1}{2}$ in.
No. 555P. Deep Backs and Polished...	9/-	9/6	10/6	12/6	14/6	16/6
Dipped, 1/- doz. less.						



554

	3	$3\frac{1}{4}$	$3\frac{1}{2}$	$3\frac{3}{4}$	4	$4\frac{1}{2}$ in.
No. 554. Flat Back, Sanded Plate...	6/6	7/9	8/6	9/-	11/-	12/-

DRAWER HANDLES

Single doz.



566

	2½	3	3¼	3½	3¾	4 in.
No. 566. Measured between Pummels...	3/-	4/-	5/-	6/6	7/6	8/6



568

	2½	3	3¼	3½	3¾	4 in.
No. 568. Superior Polished, with Nut and Screws ...	4/6	5/6	6/6	7/-	8/-	9/-

LIFTING HANDLES.

Single doz.

Measured between Pummels.



563

	2¼	2½	2¾	3	3¼	3½	3¾	4	4¼	4½ in.
No. 562. Light Suite,	4/-	4/6	5/3	5/9	6/6	7/6	9/-	10/-	—	—
„ 563. Strong „	4/9	5/3	5/9	7/-	8/-	9/6	11/-	12/6	14/6	16/

DRAWER PULLS.

Per doz.



800

No. 779.	Plain Stamped, Polished	3	3½ in. Grip.
„ 800.	„ „ „ Stronger	2/-	2/6
„ 809.	Fluted, Polished	2/6	3/3
„ 806.	Cast, Plain, Polished	3/-	3/9
				—	9/-



801

No. 810.	Fancy Cast, 1½ in. Grip...	2/6
„ 801.	„ „ 3 „ „	3/8
„ 802.	„ „ 3½ „ „	4/-
„ 803.	„ „ 3½ „ „	4/-




804

No. 804.	Bronzed and Relieved	5/-
„ 808.	„ „ „ 3½ in. Grip	4/8

JEWELLERS' CASE CATCHES.

Per doz.



1144

No. 1144	10/-	No. 1143.	With Knob	... 7/6
----------	-----	-----	----	------	-----------	-----------	---------

BOOKCASE STUDS.

Per gross.



573

No. 573.	Round	13/6
„ 574.	„	15/-
„ 575.	„	18/-



576

No. 576.	Square	17/-
„ 577.	„	20/-
„ 578.	„	22/-
„ 579.	„	29/-




580

No. 580.	Flat and Round End	21/6
„ 581.	„	„	„	36/-

CUPBOARD BOLTS.

Per doz.




No. 100.	Straight or Necked	...	3	3½	4 in.
		7/-	7/6	8/6	

GLASS MOVEMENTS.

Per doz. pairs.

No. 912.	1¾ in.	5/-
„ 913.	2 „ Light	6/-
„ 520	6/9
„ 915.	2 in., Stronger	7/6
„ 916.	2¼ „	10/-
„ 914.	2½ „	13/-
„ 917.	2½ „ Very Strong	18/-
„ 918.	2¾ „	24/-



912

GLASS PLATES.

Per gross.

No. 26.	Cast	...	1	1¼	1½	1¾	2	2¼	2½ in.
		6/-	9/-	14/-	18/-	21/-	24/-	28/-	
No. 28.	Stamped...	¾	1	1¼	1½	1¾	2	2 in.	
		2/6	3/-	5/6	10/6	13/-	17/-		



26

NAVAL BRASSFOUNDRY.

CABIN HOOKS.

Per doz.



940

		1½	2	2½	3	3½	4	5	6	7	8 in
No. 940.	Light Suite...	3/6	4/-	4/9	5/9	6/9	7/6	9/6	12/-	14/-	16/-
„ 505.	Stronger „...	4/3	5/3	6/-	7/3	8/3	9/6	12/-	13/-	15/-	16/6



941

		1½	2	2½	3	3½	4	5	6	7	8 in.
No. 941.	Square Plate	5/3	6/3	6/9	7/6	9/-	10/6	14/-	16/-	17/-	18/-
„ 1786.	„ „	5/9	6/3	7/-	7/9	9/-	10/6	13/3	15/6	18/-	19/-




502

		1½	2	2½	3	3½	4	5	6	7	8 in.
No. 502.	Stronger Plate	6/-	7/6	8/6	9/-	10/-	11/-	13/6	15/6	19/-	20/-
„ 120.	Strong ...	7/-	8/-	8/9	9/6	12/-	13/-	15/-	20/-	24/-	28/-
„ 945.	„ ...	—	9/6	10/-	12-	14-	15/-	18/-	20/-	25/-	29/-
„ 946.	„ $\frac{7}{16}$ in. thick }	—	15/6		17/9	-	20/-	27/-	32/-	39/-	48/-

RING AND KNOB FURNITURE.

DUCE'S SPINDLES.

Per doz.




1106

								Rim.
No. 120.	$1\frac{3}{4}$ in.	Raised Knob,	2 in.	Ring	20/-
" 1106.	2	"	"	2	"	"	...	22/-
" 1100.	$2\frac{1}{8}$	"	"	$2\frac{1}{8}$	"	"	...	25/-
" 1109.	$2\frac{1}{8}$	Milled Edge Knob (no Roses or Escutcheons),						
							$2\frac{1}{4}$ in. Ring	21/-
" 1161.	$2\frac{1}{4}$	Knob, $\frac{1}{2}$ in.	Spindles	42/-
" 1011.	$2\frac{1}{8}$	Cast Knob, $\frac{5}{16}$ in.	Spindles,	$2\frac{3}{8} \times \frac{3}{8}$ in.	Ring	30/6
" 1171.	$2\frac{3}{8}$	"	for $\frac{1}{2}$ in.	"	$2\frac{3}{4} \times \frac{7}{16}$	"	...	48/-

Mortise, 4/- doz. extra.

DOUBLE RING FURNITURE.

Per doz.




1106

								Rim.
No. 1106.	$2 \times \frac{5}{16}$ in.	Rings	13/-
" 1011.	$2\frac{1}{8} \times \frac{7}{8}$	"	30/-
" 949.	$2\frac{1}{4} \times \frac{3}{8}$	"	30/-

Mortise, 4/- doz. extra.

BINNACLE RINGS.

Per doz.



1188

No. 1188.	$2\frac{5}{8} \times 2\frac{1}{4}$ in. Plate,	$2\frac{1}{4} \times \frac{7}{16}$ in. Ring, Polished	18/-
„ 1042.	$2\frac{1}{4} \times 2$ „ „	$2\frac{1}{4} \times \frac{3}{8}$ „ „ Sanded	16/-
„ 1547.	$3\frac{1}{4} \times 2\frac{3}{4}$ „ „	$2\frac{1}{2} \times \frac{3}{8}$ „ „ Dipped Plates	17/6
„ 1069.	$2\frac{1}{2} \times 2\frac{1}{4}$ „ „	$2\frac{1}{4} \times \frac{3}{8}$ „ „ „ „	13/6
„ 1068.	$2\frac{1}{2} \times 2$ „ „	$2 \times \frac{5}{16}$ „ „ „ „	10/-
„ 1067.	$2 \times 1\frac{1}{2}$ „ „	$1\frac{3}{4} \times \frac{5}{16}$ „ „ „ „	8/-

WOOD SCREW.

No. 1075.	$1\frac{1}{4}$ in. Ring	8/-
„ „	$1\frac{1}{2}$ „ „	8/6
„ „	$1\frac{3}{4}$ „ „	10/6
„ „	2 „ „	11/6
„ „	$2\frac{1}{4}$ „ „	13/6
„ 1076.	Very Strong, $2 \times \frac{3}{8}$ in. Ring	15/6
„ „	„ „ $2\frac{1}{4} \times \frac{3}{8}$ „ „	16/6

RINGS AND NUTS.

Per doz.



1157

No. 1157.	$1\frac{1}{4}$ in. Rings	6/6
„ „	$1\frac{1}{2}$ „ „	7/6
„ „	$1\frac{3}{4}$ „ „	9/6
„ „	2 „ „	11/6
„ „	$2\frac{1}{4}$ „ „	12/6

BALL ROD HOLDERS.

Per doz.

			$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$ in.
No. 1050	7/-	10/-	14/-	18/-	20/-	30/-
„ 1082.	Stronger	...	—	16/-	18/-	19/-	24/-	32/-

STORM RAIL BRACKETS.

Each.

							$1\frac{1}{2}$	$1\frac{5}{8}$ in.
No. 120	5/-	6/-

Bronzed, Open or Closed Ends.


BRASS TABLE SCREWS.

Per doz.

					$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$ in. thick.
3 in.	16/6	20/-	—
4 „	17/6	21/-	—
5 „	18/6	22/-	—
6 „	20/-	23/6	27/-
7 „	21/-	26/-	30/-
8 „	22/6	29/-	33/-

BUTTONS ON PLATES.

Per doz.



928

			$1\frac{1}{2}$	$1\frac{3}{4}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$ in.
No. 928.	Solid, Burnished	...	3/-	3/6	4/-	5/-	6/-
„ 940.	„ Dipped and Burnished	}	3/-	3/6	4/-	5/-	6/-
„ 930.	Stronger, Dipped and Burnished	}	3/6	4/-	5/-	6/-	7/-
„ 970.	Very Strong	...	—	—	6/-	7/6	8/6



939

			$1\frac{1}{2}$	$1\frac{3}{4}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$ in.
No. 939.	Dipped, Thumb Bit		3/6	3/10	4/6	5/3	6/-
„ 932.	Polished, „ „		4/-	4/6	5/6	6/6	7/6

BUTTONS.

Per gross.



934

				1	1½	1¾	2	2½ in.
No. 934.	Light	5/6	6/-	7/6	10/-	12/-



935

				1	1½	1¾	2	2½	2½ in.
No. 935.	Stronger	8/-	11/-	12/-	14/-	16/-	18/-
„ 937.	„	8/-	12/-	14/-	18/-	20/-	24/-
„ 936.	Strong, Polished	10/-	14/-	18/-	22/-	28/-	32/-		

HALF BUTTONS.

Per gross.



					7/8	1	1½ in.
No. 130.	Burnished	6/-	9/-	11/-

LASHING EYES.

Per doz.

CAST.



1057

CAST.

No. 1057.	Light Burnished	1½ in. over all,	1/2
„	„	„	„	1½	1/6
„	„	„	„	1½	1/10
„	„	„	„	1	2/4
„	„	„	„	1½	3/-
„	„	„	„	1½	3/9
„ 1058.	Stronger...	1	3/-
„	„	„	1½	4/-
„	„	„	1½	5/-
„	„	„	1½	6/-
„	„	„	2	7/6
„ 1059.	Strong, with Shoulder	1½	4/6
„	„	„	„	„	...	1	6/-
„	„	„	„	„	...	1½	7/6
„	„	„	„	„	...	1½	9/-
„	„	„	„	„	...	1½	11/-
„	„	„	„	„	...	1½	13/-
„	„	„	„	„	...	2	18/-

VENTILATORS.

Per doz.



389

No. 389.	Round	$1\frac{1}{2}$ 4/-	$1\frac{3}{4}$ 5/9	2 6/6	$2\frac{1}{2}$ in. 8/6
No. 390.	Oblong, for Ovens	3 6/-	$3\frac{1}{2}$ 7/3		4 in. 8/-
No. 1124.	Round	...	$\frac{4}{2/9}$	$\frac{5}{3/3}$	$\frac{6}{4/6}$	$\frac{7}{6/-}$	$\frac{8}{8/-}$	$\frac{9}{10/-}$	in. each

HIT AND MISS VENTILATORS.

Each.

$4 \times 3\frac{1}{2}$ in., with Knobs	3/-	Sunk Slides	3/6
$6 \times 3\frac{1}{2}$ "	3/6	"	4/-
6×5 "	5/6	"	6/-
9×6 "	6/-	"	7/-
10×6 "	8/-	"	8/6
12×6 "	10/-	"	10/6

CUP AND JUG HOOKS.

Per gross.



5454

No. 5454. Light Cup Hooks—

$\frac{5}{8}$ 4/8	$\frac{3}{4}$ 5/10	$\frac{7}{8}$ 7/-	1 8/6	$1\frac{1}{8}$ 10/6	$1\frac{1}{4}$ 12/6	$1\frac{1}{2}$ 16/8	$1\frac{3}{4}$ 23/-	2 in. 28/-
----------------------	-----------------------	----------------------	----------	------------------------	------------------------	------------------------	------------------------	---------------



492

No. 492. Cup Hooks, Strong—

$\frac{3}{4}$ 8/-	1 10/6	$1\frac{1}{4}$ 12/-	$1\frac{1}{2}$ 16/-	$1\frac{3}{4}$ 22/-	2 27/-	$2\frac{1}{4}$ in. 32/-
----------------------	-----------	------------------------	------------------------	------------------------	-----------	----------------------------



926



147

No. 926.	Jug Hooks	...	1 11/6	$1\frac{1}{4}$ 13/6	$1\frac{1}{2}$ 17/-	$1\frac{3}{4}$ 24/-	2 29/-	$2\frac{1}{4}$ in. 36/-
„ 147.	Towel Hooks	...	11/-	13/-	15/-	17/-	—	—

MISCELLANEOUS ARTICLES.

SCREW HOOKS.

Per gross.



5404

No. 5404. Screw Hooks—

$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 in.
4/-	4/8	5/6	6/2	7/4	8/4	11/4	14/-	18/-

No. 5405. Stronger—

$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 in.
7/6	8/-	9/-	10/-	11/-	13/6	18/-	21/-

No. 2364. Oval Shoulder—

$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 in.
9/6	11/6	13/6	16/-	18/6	22/6	34/-	44/-

No. 654. Stronger... 15/6 — 20/- 25/- 37/- 48/-

WHISTLE HOOKS.

Per doz.



1229

No. 1229	3/6
„ „	With Roses	4/3
„ 103.	On Cast Plates	4/6

FANCY CEILING ROSES.

Per gross.

No. 220.	$1\frac{1}{2}$ in.,	Star Pattern	5/6
„ „	$1\frac{3}{4}$ „	„ „	7/-
„ 234.	$1\frac{3}{4}$ „	Fancy „	6/6
„ „	2 „	„ „	9/-
„ 203.	4 „	Plain	7/- per doz.
„ „	5 „	„ „	13/- „
„ 1264.	Cast, Polished,	2 in.	12/- „
„ „	„ „	$3\frac{1}{2}$ „	20/- „

LAMP OR CEILING HOOKS.

SCREWED TO TOP.

Per gross.



927

No. 927.	Light	...	$1\frac{1}{4}$ in., with 2 in. Screws	...	11/-
" "	"	...	" " " 3 " "	...	13/-
" 1320.	Stronger	$1\frac{1}{2}$ "	" $1\frac{1}{2}$ "	...	17/-
" "	"	"	" " " 2 " "	...	18/-
" "	"	"	" " " 3 " "	...	20/-
" "	"	"	" " " 4 " "	...	22/-
" 1511.	"	"	" " " 2 " "	...	21/-
" "	"	"	" " " $2\frac{1}{2}$ " "	...	22/-
" "	"	"	" " " 3 " "	...	23/-
" "	"	"	" " " 4 " "	...	25/-
" 1604	"	$1\frac{3}{4}$ "	" $2\frac{1}{2}$ "	...	30/-
" "	"	"	" " " 3 " "	...	32/-
" "	"	"	" " " 4 " "	...	34/-
" 1594.	Strong	2 "	" $2\frac{1}{2}$ "	...	36/-
" "	"	"	" " " 3 " "	...	38/-
" "	"	"	" " " $3\frac{1}{2}$ " "	...	40/-
" "	"	"	" " " 4 " "	...	42/-



1511


LAMP HOOKS.

Per doz.

No. 1830.	Strong Hooks, $2\frac{1}{2}$ in.	$3 \times \frac{3}{8}$ in. Screw	8/-
" "	" " " " " "	$4 \times \frac{3}{8}$ " "	9/-
" "	" " " " " "	$6 \times \frac{3}{8}$ " "	10/-
" 1396.	Strong, for $\frac{3}{8}$ in. Gas Barrel	12/6
" "	" " $\frac{1}{2}$ " " " "	18/6

GAS SHADE HOLDERS.

Per doz.



539

No. 539.	$\frac{5}{16}$ in.	Holder, 16 in. high	12/-
„ „	$\frac{3}{8}$ „	„ „ „ „ „	12/6
„ „	$\frac{1}{2}$ „	„ „ „ „ „	13/-
„ „	$\frac{5}{8}$ „	„ „ „ „ „	14/-
„ „	$\frac{3}{4}$ „	„ „ „ „ „	15/-

SHUTTER KNOBS.

Per doz.



1307

No. 1307.	Cast Reeded Shutter Knobs, $1\frac{1}{8}$ in.	7/-
„ „	„ „ „ „ „ $1\frac{1}{4}$ „	8/-
„ „	„ „ „ „ „ $1\frac{3}{8}$ „	9/6
„ 1309.	Cast Shutter Knobs, Plain, $1\frac{1}{8}$ „	4/-
„ „	„ „ „ „ „ $1\frac{1}{4}$ „	5/-
„ „	„ „ „ „ „ $1\frac{3}{4}$ „	6/-

SHUTTER KNOBS—CONTINUED

Per doz.




69

Discount %

No. 69.	Stamped Shutter Knobs,	1 in.	1/6
"	"	1 1/8 "	1/10
"	"	1 1/4 "	2/2
"	"	1 3/8 "	2/10
"	"	1 1/2 "	3/6

CUPBOARD TURNS.

Per doz.




509

Discount %

No. 509.	"Perfect" Cupboard Turns,	1 in.	1/10
"	"	1 1/8 "	2/6
"	"	1 1/4 "	3/-
"	"	1 3/8 "	3/6
"	"	1 1/2 "	4/-

CUPBOARD TURNS—CONTINUED

Per doz.




71

Discount %

No. 71.	Common Cupboard Turns,	1 in.	1/10
" "	" "	1 1/8 "	2/6
" "	" "	1 1/4 "	3/-
" "	" "	1 3/8 "	3/6
" "	" "	1 1/2 "	4/-

ROD HOLDERS.

Single. Per doz.



20

No. 20.	Flat Plate, to Unscrew,	3/8 in.	3/-
" "	" "	1/2 "	4/-
" "	" "	5/8 "	4/6
" 877.	Strong	3/8 "	3/4
" "	" "	1/2 "	4/6
" "	" "	5/8 "	5/3
" "	" "	3/4 "	6/-
" "	" "	7/8 "	7/6
" 21.	Angle Plate	3/8 "	3/-
" "	" "	1/2 "	4/-
" "	" "	5/8 "	4/6
" 878.	Strong	3/8 "	3/4
" "	" "	1/2 "	4/6
" "	" "	5/8 "	5/6
" "	" "	3/4 "	6/-
" "	" "	7/8 "	7/6

YOUNG'S CORD HOLDERS.

Per gross.

No. 154.	Stamped, $1\frac{1}{2}$ in.	18/-
.. $1\frac{3}{4}$	20/-
.. 1.	Cast	42/-
.. 2.	48/-
.. 3.	54/-

PULLEY ROD HOOKS.

Per doz.

No. 901.	$1\frac{1}{2}$ in.	2/6
.. ..	2	3 6

UMBRELLA HOLDERS.

Per doz.

No. 64.	Fixed Plate, 17 in. over all by $\frac{5}{16}$ in., Plain Tube	12/-
.. 65. 12 $\frac{5}{16}$	20/-
.. 197.	Gothic .. $13 \times \frac{3}{8}$ in., Twisted Tube	23/-

LOCK PLATES.

SANDED. FINISHED BOTH SIDES.

Per doz.

4 in.	2,9
5	3/3
6	4 3

TELEGRAMS:

"POTTERY,
BIRMINGHAM."

1st September, 1898.

DISCOUNT

%

STOCK LIST
OF
SHOP FITTINGS.

GEO. N. POTTER,

154, SCHOLEFIELD STREET,

BIRMINGHAM.

SHOP WINDOW FITTINGS.

SPECIAL NOTE.—All Rise and Fall Brackets and Shelf Brackets are sent with $\frac{1}{4}$ in. Pins unless ordered otherwise.

BRACKETS.

Per dozen.

To Rise and Fall.



				6	8	10	12	15	18	21 in.
No. 1011	Light	10/-	11/-	13/-	15/-	18/-	—	—
„ 1012	Medium	12/-	14/-	16/-	18/-	24/-	34/-	46/-
„ 1013	Very Strong, for $\frac{5}{8}$ or $\frac{3}{4}$ Rods			—	16/-	18/-	21/-	28/-	40/-	50/-

FIXED BRACKETS.


Per dozen.



				1	2	3	4	5	6	7	8 in.
No. 1014	Light	...	4/9	5/3	6/-	8/-	9/6	10/-	11/-	12/-	
						6	8	10	12	15 in.	
„ 1015	Strong, with $\frac{5}{16}$ or $\frac{3}{8}$ in. Pin	...	10/9	12/6	13/-	14/-	17/-				
									6	9 in.	
„ 1016	„ for Bakers' Shops, carry $\frac{3}{4}$ in. Rods	...							17/-	24/-	

FIXED BRACKETS—CONTINUED.

Per dozen.



2072

		6	8	10	12	15	18 in.
No. 2072	For $\frac{3}{4}$ in. tube...	12/3	14/9	19/3	21/6	28/6	35/-
„	„ „ 1 „ „ ...	16/3	18/6	22/6	25/-	33/6	40/-

ROD ARMS.


Per dozen.



		6	8	10	12	14	16	18	21	24 in.
No. 1020	$\frac{1}{4}$ in. thick	3/6	3/9	4/-	4/3	4/6	4/9	5/3	6/6	8/-
„	„ $\frac{5}{16}$ „ „ —	4/6	5/-	5/6	6/-	6/9	7/3	9/-	11/-	
„	„ $\frac{3}{8}$ „ „ —	5/6	6/6	7/-	7/6	8/-	9/-	11/-	12/-	

SHELF BRACKETS.

Per dozen.



1023

		3	4	5	6	7	8	9	10	12	14	15	18 in.
No. 1023	5/-	6/-	8/-	9/-	10/6	12/-	14/-	16/-	20/-	23/-	25/-	30/-
„	1978 Lighter	—	5/6	7/-	8/-	9/6	11/-	13/-	15/-	18/-	22/-	24/-	28/-

SHELF BRACKETS—CONTINUED.

Per dozen.




2070

		6	8	10	12 in.
No. 2070	...	16/-	18/-	20/-	24/-



2071


		6	8	10	12	15	18 in.
No. 2071	For $\frac{3}{4}$ in. tube ...	17/-	20/-	24/6	31/-	40/-	46/-
"	" " 1 " " ...	19/3	22/-	27/6	34/-	44/-	50/-



877

Dipped, to Screw on Sash.

		3	4	5	6	7	8	9	10	12	14	15	18 in.
No. 877	...	8/6	9/6	11/-	12/6	15/-	17/-	20/-	24/-	30/-	36/-	38/-	42/-




1028


		2	2½	3	4	5	6 in.
No. 1028	...	4/-	4/3	4/6	6/-	7/-	8/-

SHELF BRACKETS—CONTINUED.

Per dozen.



1019



1024

			3	4	5	6 in.
No. 1019	Dipped	...	5/-	7/-	8/-	10/-
„ 1024	Polished	...	12/-	15/-	19/-	22/-



2062

				3	4	5	6 in.
No. 2062	Dipped	7/3	8/6	10/3	12/-



STANDARD BAR. BRONZED IRON.

$1\frac{1}{4} \times \frac{3}{8}$ in.	1/- per foot.
$1\frac{1}{4} \times \frac{1}{4}$ „	10½d. „

Standard Bar is sold with Top and Bottom Holders complete.

TAP BAR. BRONZED BRASS.

$\frac{1}{2} \times \frac{3}{16}$ in.	1/- per foot.
$\frac{3}{8} \times \frac{3}{16}$ „	10½d. „


BRONZED IRON.

$\frac{5}{8} \times \frac{3}{16}$ in.	9d. per foot.
$\frac{1}{2} \times \frac{3}{16}$ „	6d. „

BRONZED BRACKETS.


For Tap or Standard Bar.

Per dozen.



1025

3	4	5	6	7	8	9	10	12	15	18 in.
9/-	10/-	11/6	13/-	15/6	17/6	20/-	23/-	28/-	34/-	40/-



Each.


			6	8	10	12	14	16	18 in.
No. 1026	Very Strong	...	3 3	4 9	5/6	7/-	8/-	9/-	10/-
„ 1027	Lighter	...	—	—	2/9	3/-	3/6	4/-	5/-

All these Brackets made to fit on Side or Face same price.

SLIDING SOCKETS.

Per dozen.

SPECIAL NOTE.—All Sockets drilled to take $\frac{1}{4}$ in. Pins unless ordered otherwise.




1002

No. 1002 Octagon, for $\frac{1}{4}$ in. Rods only—

		Single.	Double.	Treble.	Four-hole.
$\frac{1}{2}$ in.	...	5/4	6/-	7/6	—
$\frac{5}{8}$ „	...	6/-	6/6	8/-	10/-
$\frac{3}{4}$ „	...	6/6	7/-	10/-	11/-
$\frac{7}{8}$ „	...	8/-	9/6	12/6	15/-
1 „	...	9/-	10/-	13/-	17/-


No. 1000 Stronger, or for $\frac{5}{16}$ and $\frac{3}{8}$ in. Arms—

$\frac{5}{8}$ „	...	6/6	7/6	9/-	11/6
$\frac{3}{4}$ „	...	8/-	9/-	11/-	12/6
$\frac{7}{8}$ „	...	9/-	10/-	13/6	17/6
1 „	...	11/-	12/-	15/6	19/-
$1\frac{1}{8}$ „	...	14/6	16/-	21/-	25/-
$1\frac{1}{4}$ „	...	16/-	18/-	24/-	30/-
$1\frac{1}{2}$ „	...	20/-	24/-	30/-	36/-



2059

No. 2059	Very Strong,		Single.	Double.	Treble.
	$\frac{3}{4}$ in.	...	11/-	12/6	18/-
	$\frac{7}{8}$ „	...	12/6	14/6	20/-
	1 „	...	15/6	17/6	24/-
	$1\frac{1}{4}$ „	...	25/6	27/6	33/-
	$1\frac{1}{2}$ „	...	30/-	36/-	42/-



1004

No. 1004, same price as No. 1002, Double.

FIXING SOCKETS.

For Sash Bars.

Per gross.



1005



1005

						Single.	Double.
No. 1005	$\frac{1}{4}$ in.	15/-	24/-
„ 286	$\frac{1}{4}$ „	17/-	28/-
„ 1006	$\frac{1}{4}$ „	Stronger	18/-	30/-
„ 1009	$\frac{5}{16}$ „	„	28/-	40/-
„ 1010	$\frac{3}{8}$ „	„	32/-	45/-

UMBRELLA SOCKETS.

Per dozen.



2064



2065




2066

No. 2064	4/6
„ 2065	5/6
„ 2066	8/-


ROD HOLDERS.

Per dozen.




1029

			$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$ in.
No. 1030	Top ...		3/-	4/-	4/6	5/-	6/6	10/-	12/6
„ 1029	...		5/-	5/6	6/-	6/9	7/6	—	—



1032

			$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$ in.
No. 1032	...		5/-	7/-	7/6	8/-	10/-	12/-	15/-




1042

			$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$ in.
No. 1042	...		6/-	6/9	7/6	9/-	12/-	15/-	20/-




1034

			$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$ in.
No. 1033	Bottom	as 1029	5/6	6/-	6/6	8/-	9/	—	—
„ 1034	...								
„ 1034	...		5/6	6/-	7/-	8/-	9/-	12/-	15/-



1043

			$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$ in.
No. 1043	...		6/-	6/6	7/-	8/-	9/6	12/-	15/-




1041

			$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$ in.
No. 1041	...		7/-	8/6	10/6	11/6	13/-	16/-	—
„ 1035	To Unscrew off Plate		—	—	9 -	10/-	12/-	13/6	15/-

ROD HOLDERS—CONTINUED.

Per dozen.



1038

			$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$ in.
No. 1038	Ring ...	3/6	4/-	4/6	5/-	6/-	7/-	8/-	

1038 R With Reverse Plates, same price.



1037

			$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1 in.
No. 1037	Side ...	3/6	4/-	6/-	7/-	8/-	



1040

			$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1 in.
No. 1040	End ...	3/6	4/-	6/-	7/-	8/-	

BONNET ARMS.


Per dozen.



No. 1026	$\frac{1}{4}$ in.	Curved Arms, with Tops	6/6
„	„	„	without Tops	4/6
„	1022	„	Angle Brackets for Hats, with Tops	6/6
„	„	„	„	without Tops	...	4/6


RAIL BRACKETS.

Per pair.



No. 30 Bracket, Dipped, 9 × 1 in. ... 10/-
Ends, 1/4 per pair. Rings, 5/- per dozen.


No. 29 Bracket, Dipped, 6 × 3/4 in. ... 4/6
Ends, 8d. per pair. Rings, 3/- per doz.



21

Per dozen.

				Dipped.	Polished.
No. 21	Bracket, 8 × 7/8 in.	36/-	42/-
" "	" 7 × 3/4 "	30/-	38/-



1126

		1/2	5/8	3/4	7/8	1	1 1/4	1 1/2 in
No. 1126	Rod Bracket, Dipped	7/-	8/-	9/-	11/6	14/-	15/-	18/-


RAIL BRACKETS—CONTINUED.

Per dozen.



113

		$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1 in.
No. 113	Polished...	20/-	21/-	23/-	25/-



2067

		$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1 in.
2 in. Projection, Dipped		9/-	10/-	11/-	12/-
4 „	„ „	13/6	15/-	16/6	18/-




2068

$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 in.
15/-	16/6	17/6	20/-	22/-	24/-


Polished.

DOUBLE SLIDING SUSPENDING BRACKET. 13



26

Prices upon receipt of measurements.



25

SUSPENDING BRACKET.

To carry Glass Shelves.

No. 25

Prices upon receipt of measurements.

HANGING ROD.



28


Hooks and Roses	8d. each.
Ends	4d. „
Rings	2½d. „
Very Strong Chain	...	1/- yard.	

SUSPENDING
BRACKET.For $\frac{3}{4}$ in. Rod.

27

4 ft. long ... 4/- each.

DESK RAILS.



Prices upon receipt of measurements.

CONFECTIONERS' BRACKETS.

Per dozen.




No. 2075	Wire Dish Bracket, Light	8/6
„ 1021	„ „ Curved	12/-



No. 1893	$\frac{5}{16}$ in. Tube, $3\frac{1}{2}$ in. Plate, with Fixing Sockets	14/-
„ 1894	$\frac{5}{16}$ „ „ 4 „ „ „ „ „	17/-



No. 1895	$\frac{3}{8}$ in. Tube, 5 in. Plate, with Fixing Sockets	23/-
----------	--	----	-----	------



No. 1660	$\frac{3}{8}$ in. Tube, 5 in. Dish, with Fixing Sockets	26/-
----------	---	-----	----	------

SHOE FITTINGS.



1728

SHOE STANDS.

China Bases. Double Action Top.

1728


Per dozen.

Plain Tube, 6 in. ...	35/-	Fancy Tube ...	36/-
„ 10 „ ...	37/-	„ ...	38/-
„ 14 „ ...	40/-	„ ...	41/-

BOOT BRACKETS.


Per dozen.

No. 1048	12 × ¼ in., Straight Rod, with Stamped Heel and Toe Plate ...	12/-
„ 1049	12 × ¼ in., „ „ „ Cast „ „ ...	18/-
„ 1040	12 in. Square Tube, to rise and fall ...	21/-



1727

Plain Tube ...	16/-
Fancy „ ...	17/-



1728

Fancy Tube ...	20/-
----------------	------

154, SCHOLEFIELD STREET,

TELEGRAPHIC ADDRESS :
"POTTERY, BIRMINGHAM."

BIRMINGHAM.

Dear Sirs,

*Having your name before me as buyers
of Brassfoundry, I beg to enclose you a copy
of my Illustrated Price List, which comprises
Builders, Cabinet Makers, Shipbuilders, Shop
Fitters, Upholsterers, and General Brassfoundry.*

*A full list of Discounts will be sent
on application.*

I am,

Yours faithfully,

GEORGE N. POTTER.

